

INDEX

Special Characters

- () (parentheses),**
guards use of; 7-8
- , (comma),**
guards use as shorthand for boolean andalso operator;
7-9
- < (less than),**
boolean operator used in guards; 7-8
- <> (not equal),**
boolean operator used in guards; 7-8
- <= (less than or equal),**
boolean operator used in guards; 7-8
- = (equal),**
boolean operator used in guards; 7-8
- > (greater than),**
boolean operator used in guards; 7-8
- >= (greater than or equal),**
boolean operator used in guards; 7-8
- @+ (delay expression),**
characteristics and use with time stamps; 16-7
- [] (brackets),**
guards use as distinguishing characters; 7-8
- ^ (multiset creation operator),**
creating multisets with; 5-8

A

- activation rules,**
as dynamic modeling paradigm component; 3-3
- activities,**
See Also transitions;
as dynamic modeling paradigm component; 3-3
as static modeling paradigm component; 3-1
CP net transitions as representations for; 3-3
representing with transitions; 10-6
- adding,**
See Also creating;
declarations to the global declaration nodes,
to extend FirstNet into SalesNet; 10-2
multisets; 5-8
places to fusion sets; A2-9
text,
to a rectangle; 4-10
to a rectangle, while creating it; 4-12
- address,**
Meta Software; 1-7

- adjusting,**
See Also aligning;
simulation regions,
for SalesNet execution; 10-13
- adjustment tool,**
characteristics and illustration; 4-8
- algorithms,**
See Also bindings;
constructing occurrence sets,
issues involved; 15-10
occurrence set execution; 11-16
simulator; 11-14
illustrating with SalesNet model execution with
conflict; 11-15
- Align menu,**
Horizontal command,
aligning nodes in a row with; 14-17
Horizontal Spread command,
aligning nodes with; 14-16
Vertical command,
aligning nodes in a column with; 14-18
Vertical Spread command,
aligning nodes with; 14-17
- aligning,**
nodes,
along a diagonal, with Align menu commands;
14-16
in a column, with Vertical command (Align menu);
14-18
in a row, with Horizontal command (Align menu);
14-17
with Align menu commands; 14-16
- andalso (boolean AND),**
boolean operator used in guards; 7-8
- appearance,**
aligning net components with Align menu
commands; 14-16
arcs,
adjusting; 14-22
concurrency,
controlling; 15-9
effective space use,
creating a separate page for global declarations;
10-17
global fusion place; A2-8
hierarchical CP nets,
improving; A3-11
hierarchy page,
improving; 12-12, A3-16
matching transition sizes; 14-10
subpage,
improving; A3-14

appearance (cont'd),

- substitution transition,
 - improving with Child Object command (Makeup menu); 12-6
- superpage,
 - improving; A3-11

Arc (CPN menu),

- connecting FirstModel nodes with; 14-18
- creating arcs with; 6-13

arcs,

- See Also* connectors;
- adjusting the appearance of; 14-22
- arc creation mode,
 - term definition; 6-13
- arc creation tool,
 - term definition and illustration; 6-13
- arc inscription creation mode,
 - term definition; 6-13
- arc inscription region,
 - term definition; 5-15
- as CP net connections; 3-3
- bidirectional,
 - characteristics and use; 13-11
 - drawing, for FirstModel; 14-19
- characteristics as CP net component; 5-1
- connecting FirstModel nodes with; 14-18
- creating; 6-13
- input inscriptions,
 - evaluating during SalesNet execution; 10-9
 - evaluating during transition firing; 7-13
 - role in enabling transitions; 7-2
 - term definition; 3-4
- inscriptions,
 - characteristics and term definition; 5-15
 - CPN variables, locality and; 13-19
 - creating; 6-13
 - creating, for FirstModel; 14-24
 - evaluating during transition firing; 7-13
 - input, binding variables in; 7-7
- output inscriptions,
 - delay expressions on; 16-8
 - evaluating during transition firing; 7-13
 - evaluating during SalesNet execution; 10-10
 - term definition; 3-4
- rerouting; A3-12
- term definition,
 - and characteristics; 5-14

aspect ratio,

- rectangle,
 - preserving; 4-12

assigning,

- colorsets to FirstModel places; 14-14

assigning (cont'd),

- ports to sockets,
 - manually; A3-36
- time stamps,
 - FirstModel; 16-11

attributes,

- diagram default,
 - term definition and characteristics; 6-3
- display,
 - changing; 6-3
 - term definition; 6-2
- object,
 - term definition and characteristics; 6-2
- system default,
 - term definition and characteristics; 6-3

automatic mode,

- term definition and characteristics; 15-16

Automatic Run (Sim menu),

- executing a model with; 15-21
- running the Sales Order Model with; B2-3

autoscrolling,

- characteristics; 4-5

Aux menu,

- Box command,
 - creating rectangles with; 4-7
- Connector command,
 - creating connectors with; 4-18
- creating auxiliary graphical objects with; 4-4
- Ellipse command,
 - creating ellipses with; 4-15
- Label command,
 - creating rectangles with; 4-21
- Make Region command,
 - creating regions with; 4-23

auxiliary objects,

- See Also* graphical objects;
- term definition; 4-1

B

backquote (`),

- as multiset creation operator; 5-8

bar charts,

- examining the Sales Order Model,
 - efficiency charts; B3-3
 - revenue charts; B3-1

behavior,

- See Also* modeling;
- CP net execution,
 - relation to real-world systems; 13-20

behavior (cont'd),

- CP nets,
 - (chapter); 7-1
- modeling; 3-1
- timed,
 - increasing the realism of; 16-19

bidirectional arcs,

- characteristics and use; 13-11
- drawing,
 - for FirstModel; 14-19

bindings,

- See Also* algorithms; occurrence sets; tuples,
 - constructors; tuples, patterns;
- binding elements,
 - executing; 11-16
 - term definition; 11-14, 15-10
- conflict and; 11-6
- different,
 - setting their representation in an occurrence set; 15-13
- enabling,
 - identical; 11-3
 - multiple; 11-2
- identical,
 - setting their representation in an occurrence set; 15-13
- of CPN variables,
 - in input arc inscriptions; 7-7

boolean,

- See Also* expressions; guards;
- AND (andalso),
 - boolean operator used in guards; 7-8
- NOT (not),
 - boolean operator used in guards; 7-8
- operators,
 - used in guards; 7-8
- OR (orelse),
 - boolean operator used in guards; 7-8
- tests,
 - constraining token values with; 7-8

border,

- page,
 - term definition and characteristics; 2-6

bottom-up development,

- term definition; 12-2

bound,

- term definition; 7-7

Box (Aux menu),

- creating rectangles with; 4-7

boxes,

- See* rectangles;

brackets ([]),

- guards use as distinguishing characters; 7-8

breakpoints,

- See Also* simulation;
- beginning of substep,
 - characteristics; 8-12
 - concurrent execution of SalesNet model; 11-10
 - FirstNet model, concurrent execution; 11-4
 - FirstNetDemo model; 8-15
 - SalesNet's appearance; 11-17
- continuing execution after,
 - with Continue command (Sim menu); 8-16
- end of substep,
 - characteristics; 8-13
 - concurrent execution of SalesNet model; 11-11
 - FirstNet model, concurrent execution; 11-4
 - FirstNetDemo model; 8-16
 - SalesNet's appearance; 11-18
- setting,
 - for FirstModel; 15-3
 - for SalesNet execution; 10-13
 - with Interactive Simulation Options command (Set menu); 8-12

C**canceling,**

- CP net execution,
 - with Stop command (Sim menu); 8-18

causality,

- See Also* modeling; representation;
- representation in FirstModel; 16-4

Change Shape (Makeup menu),

- changing transition shape with; A3-28
- matching transition sizes with; 14-10

changing,

- CP nets,
 - in the simulator; 11-12
- display attributes; 6-3
- guards,
 - to extend FirstNet into SalesNet; 10-2
- initial markings,
 - to add more equipment to the SalesNet model; 11-8
- rules with guards,
 - FirstModel; 15-8
- transition shape,
 - with Change Shape command (Makeup menu); A3-28

charts,

- bar,
 - examining the Sales Order Model efficiency charts; B3-3
 - examining the Sales Order Model revenue charts; B3-1

Child Object (Makeup menu),

- improving the appearance of a substitution transition with; 12-6
- selecting a region with; A3-13

choice,

- See Also* modeling;
- concurrency and,
 - (chapter); 11-1
- term definition; 11-1

clock,

- simulated,
 - mechanism characteristics; 16-6
- term definition; 16-5

Close (File menu),

- closing diagrams with; 2-9

closed,

- page,
 - term definition; 2-7

closing,

- diagrams; 2-9

colored Petri nets,

- See* CP nets; Design/CPN;

colorsets,

- See Also* places;
- assigning to FirstModel places; 14-14
- characteristics; 5-4
- composite,
 - term definition; 13-4
- duplicate,
 - characteristics and term definition; 5-6
- enumerated,
 - characteristics and term definition; 5-4
- integer,
 - characteristics and term definition; 5-6
- missing,
 - detecting and handling; 9-2
- representing entities with; 10-4
- specifying; 6-10
- string,
 - characteristics and term definition; 5-6
- term definition; 5-3
- timed,
 - declaring; 16-7
- tuple,
 - characteristics and term definition; 13-4

column,

- aligning nodes in,
 - with Vertical command (Align menu); 14-18

comma (,),

- guards use as shorthand for boolean andalso operator; 7-9

comments,

- importance of in documenting a model; 14-2
- in models,
 - auxiliary objects use for; 4-2

committed,

- term definition; 8-15

comparison,

- operators,
 - used in guards; 7-8

compiling,

- timed CP nets; 16-14

components,

- CP net,
 - (chapter); 5-1

composite colorset,

- term definition; 13-4

concurrency,

- See Also* time;
- choice and,
 - (chapter); 11-1
- concurrent,
 - activities, term definition; 11-1
 - execution, SalesNet model; 11-7
 - system, term definition; 11-1
- conflict,
 - as limiting factor in; 11-6
 - issues; 15-11
- controlling the appearance of; 15-9
- CP net execution,
 - FirstNet model; 11-4
- experimenting with; 11-21
- firing multiple concurrent transitions; 11-3
- FirstModel; 13-18
- occurrence set construction in relation to; 15-11
- problems with; 11-1
- representing; 11-2
- term definition; 11-1
 - modeling characteristics and; 15-11
 - very small occurrence sets and; 15-14

conditions,

- representing with guards; 10-6

conflict,

- avoidance by occurrence set elements; 15-10
- bindings and; 11-6
- competition for resources,
 - as concurrency problem; 11-1

- conflict (cont'd),**
 concurrency in relation to; 15-11
 executing SalesNet model with; 11-15
 experimenting with; 11-21
 representing; 11-5
 resource,
 modeling with FirstModel; 15-7
 term definition; 11-1
- connecting,**
 superpages to subpages; 12-8
- connections,**
 as dynamic modeling paradigm component; 3-3
 as static modeling paradigm component; 3-1
 CP net arcs as representations for; 3-3
- Connector (Aux menu),**
 creating connectors with; 4-18
- connectors,**
See Also arcs;
 creating; 4-18
 deleting,
 dangling; 4-20
 editing; 4-20
 routing,
 automatic; 4-20
 routing; 4-19
 term definition; 4-2
- constants,**
See Also CPN variables;
 as exact token values; 7-4
- constraining,**
See Also guards;
 token values; 7-8
 with more complex guards; 7-10
 with simple guards; 7-9
- constraints,**
 partial,
 adding with guards in FirstModel; 15-8
 representing with guards; 10-6
 term definition; 7-8
- constructing,**
See Also creating;
 occurrence sets,
 for SalesNet model execution with conflict; 11-15
 occurrence sets; 15-10
- constructors,**
 tuple,
 characteristics; 13-8
 example of use in First Model; 13-9
 term definition; 13-9
- Continue (Sim menu),**
 continuing execution after a breakpoint with; 8-16,
 11-18
- continuing,**
 CP net execution,
 with Continue command (Sim menu); 8-16
- Copy Defaults (Set menu),**
 copying diagram defaults with; 6-4
- copying,**
 text regions; 14-26
- costs,**
 Sales Order Model chart depicting elapsed,
 examining; B3-5
 Sales Order Model chart depicting incurred; B3-3
- CP nets,**
 canceling execution,
 with Stop command (Sim menu); 8-18
 changing,
 in the simulator; 11-12
 compared with IDEF0 modeling; 3-4
 components,
 (chapter); 5-1
 creating; 6-4
 (chapter); 6-1
 distributing,
 across multiple pages; 12-1
 dynamic modeling paradigm characteristics; 3-3
 dynamics,
 (chapter); 7-1
 example description; 5-2
 executing; 7-1, 8-10
 (chapter); 8-1
 FirstNet model, concurrent execution; 11-4
 order of execution events; 8-16
 overview; 5-16
 SalesNet, interactive execution; 10-12
 SalesNet, simulator actions; 10-9
 starting execution, with Interactive Run command
 (Sim menu); 8-14
 with fusion sets; A2-19
 with instance fusion sets; A2-25
 extending,
 FirstNet into SalesNet (chapter); 10-1
 hierarchical,
 developing on a subpage; A3-21
 diagram structure; A3-2
 improving appearance of; A3-11
 introduction (chapter); 12-1
 relationship among pages in; A3-24
 incremental development,
 prime page role; 8-4
 locality,
 term definition; 13-19
 models compared with; 5-3

Design/CPN Tutorial

CP nets (cont'd),

- modularity,
 - prime page role; 8-4
- moving components between pages; 10-20
- multi-page,
 - interconnecting; 12-1
- observing execution; 8-12
- opening,
 - with Open (File menu); 8-1
- saving; 6-16
- structure,
 - hierarchical, adding; 12-2
- syntax errors,
 - handling, (chapter); 9-1
- term definition; 1-2
- timed,
 - compiling; 16-14
 - executing; 16-16

CPN (colored Petri net),

- hierarchy,
 - term definition; 12-1
- ML language,
 - role in CP nets; 5-1
- model,
 - term definition; 1-2
- objects,
 - term definition; 4-1, 6-2

CPN menu,

- Arc command,
 - connecting FirstModel nodes with; 14-18
 - creating arcs with; 6-13
- CPN Region command,
 - assigning colorsets to FirstModel places with; 14-14
 - assigning time stamps with; 16-12
 - creating arc inscriptions for FirstModel with; 14-24
 - creating arc inscriptions with; 6-13
 - creating guards for FirstModel with; 14-29
 - creating guards with; 6-8
 - fixing a syntax error with; 9-6
 - naming FirstModel places with; 14-12
 - naming FirstModel transitions with; 14-10
 - naming places with; 6-9
 - naming substitution transitions with; 12-5, A3-10
 - naming transitions with; 6-6
 - specifying colorsets with; 6-10
 - specifying initial markings with; 6-11
- Declaration Node command,
 - creating a global declaration node with; 6-14
- Fusion Place command,
 - adding places to a fusion set with; A2-9

CPN menu (cont'd),

- Fusion Place command (cont'd),
 - creating a fusion set with; A2-6
 - creating instance fusion sets with; A2-24
 - creating multi-page fusion sets with; A2-14
 - creating multiple fusion sets with; A2-15
 - creating page fusion sets with; A2-18
 - deleting fusion sets with; A2-11
 - removing places from a fusion set with; A2-10
 - Move to Subpage command,
 - creating a subpage with; 12-3, A3-9
 - top-down hierarchical CP net development with; A3-22
 - Place command,
 - creating places with; 6-8
 - Port Assignment command,
 - manually assigning ports to sockets with; A3-39
 - Remove Sim Regions command,
 - cleaning up diagrams during hierarchy simulation; A3-35
 - removing simulation regions with; 8-20
 - Replace by Subpage command,
 - reversing substitution transition creation with; A3-19
 - Substitution Transition command,
 - converting a transition to a substitution transition with; A3-28
 - creating substitution transitions with manual port assignments; A3-38
 - Syntax Check command,
 - performing a syntax check with; 8-2
 - Transition command,
 - creating transitions with; 6-5
- ## **CPN Region (CPN menu),**
- assigning,
 - colorsets to FirstModel places; 14-14
 - time stamps; 16-12
 - creating,
 - arc inscriptions; 6-13
 - arc inscriptions for FirstModel; 14-24
 - guards for FirstModel; 14-29
 - guards; 6-8
 - fixing a syntax error with; 9-6
 - naming,
 - FirstModel places; 14-12
 - FirstModel transitions; 14-10
 - places; 6-9
 - substitution transitions; 12-5, A3-10
 - transitions; 6-6
 - specifying,
 - colorsets with; 6-10
 - initial markings with; 6-11

CPN variables,
 arc inscriptions,
 locality and; 13-19
 binding in input arc inscriptions; 7-7
 characteristics and term definition; 5-10
 multiple bindings resulting from locality; 13-19
 rebinding,
 during SalesNet execution; 10-9
 during transition firing; 7-12
 specifying token values with; 7-7
 undeclared,
 detecting and handling; 9-6

creating,
See Also constructing; drawing; editing;
 arc inscriptions; 6-13
 for FirstModel; 14-24
 arcs; 6-13
 connectors; 4-18
 CP nets; 6-4
 (chapter); 6-1
 decomposition page,
 Design/CPN actions; 12-9
 diagrams; 4-6
 ellipses; 4-15
 fusion sets,
 global; A2-6
 instance; A2-20
 page; A2-17
 graphical objects; 4-4
 from text mode; 4-17
 guards; 6-8
 for FirstModel; 14-29
 hierarchical CP nets,
 by developing on a subpage; A3-21
 labels; 4-21
 models,
 simple (chapter); 14-1
 multisets; 5-8
 nodes,
 global declaration; 6-14
 page instances; A2-21
 pages,
 for global declarations; 10-17
 places,
 for FirstModel subpage; 14-12
 input; 6-8
 output; 6-12
 rectangles; 4-7
 a series of; 4-11
 adding text while; 4-12
 regions; 4-23
 subpages; 12-3, A3-9

creating (cont'd),
 substitution transitions; A3-7
 with Substitution Transition (CPN menu); A3-38
 transitions; 6-5

current,
 marking key region,
 term definition; 8-9
 marking region,
 term definition; 8-9
 markings,
 simulation regions describing; 8-9
 term definition; 5-12
 object,
 term definition; 4-13
 state,
 term definition; 5-12

cursor keys,
 navigating to an error with; 9-4

customer requests (Sales Order Model),
 characteristics; B1-2

D

data,
 as dynamic modeling paradigm component; 3-3
 characteristics as CP net component; 5-1
 CP net characteristics; 3-3
 declarations,
 in FirstModel; 13-3
 objects,
 output,
 specifying with output arc inscriptions; 10-8

datatype,
See colorsets;

DB file,
 term definition; 2-3

debugging,
 controlling the appearance of concurrency; 15-9

Declaration Node (CPN menu),
 creating a global declaration node with; 6-14

declarations,
See Also colorsets; global, declaration node;
 data,
 in FirstModel; 13-3
 declaration node tool,
 term definition and illustration; 6-15
 global declaration nodes,
 adding declarations to extend FirstNet into
 SalesNet; 10-2
 creating; 6-14
 declaring a timed colorset in; 16-7

declaring,

timed colorsets; 16-7

decomposition,

See Also substitution transitions;

page,

creating, Design/CPN actions; 12-9

simplifying; 12-10

term definition; 12-2

transitions,

methods for specifying; 12-2

deciphering,

ambiguous syntax error messages; 9-7

delay expressions,

See Also time;

term definition and syntax; 16-7

deleting,

See Also creating;

connectors,

dangling; 4-20

fusion sets,

with Fusion Place (CPN menu); A2-11

graphical objects; 4-14

pages; A3-25

parents; 4-25

rectangles; 4-10

subpages,

references to, from a hierarchical substitution

transition; A3-35

subpages; A3-25

descriptions,

as static modeling paradigm component; 3-2

deselecting,

See Also selecting;

groups; 4-27

Design/CPN,

See Also CP nets;

characteristics and components; 2-1

data,

characteristics; 5-3

editor,

Design/CPN; 4-1

getting started with (chapter); 2-1

hierarchical decomposition,

substitution transitions, introduction (chapter);

12-1

hierarchy,

characteristics; A1-1

quitting; 2-10

settings file missing or obsolete,

problem symptoms and solutions; C1-1

simulator,

starting; 2-4

Design/CPN (cont'd),

tutorial,

design strategy; 1-3

document components overview; 1-2

how to use; 1-4

introduction (chapter); 1-1

prerequisites; 2-2

user interface; 2-5

designating,

See Also specifying;

prime pages; 8-4

with Mode Attributes (Set menu); 8-5

transition decomposition; 12-3

detecting,

See Also troubleshooting;

errors,

ML; 9-9

diagonal,

aligning nodes along,

with Align menu commands; 14-16

diagrams,

closing; 2-9

creating; 4-6

default attributes,

term definition and characteristics; 6-3

file,

term definition; 2-3

navigating; 2-7

opening; 2-5

printing; 2-9

saving; 6-16

term definition; 2-3

display attributes,

See Also attributes;

changing; 6-3

graphical objects,

term definition; 4-3

term definition; 6-2

distributing,

CP net,

across multiple pages; 12-1

documenting,

models,

with auxiliary objects; 4-2

with comments in the global declaration node;

14-1

Drag (Makeup menu),

moving a region with; A3-13

moving hierarchy key region with; 12-6

drag mode,

term definition; 12-6

drag tool,
 rectangles; 4-9
 term definition; 12-6

drawing,
See Also creating;
 graphics tool used for; 4-3
 rectangles; 4-7
 tool,
 term definition; 4-3

duplicate colorsets,
 term definition and characteristics; 5-6

dynamics,
 CP nets,
 (chapter); 7-1

E

e-mail address,
 Meta Software; 1-7

editing,
See Also creating;
 connectors; 4-20
 graphical objects; 4-3
 more efficient techniques; 6-16
 regions; 4-24
 text; 4-21

editor,
 Design/CPN,
 (chapter); 4-1

efficiency,
 in a Sales Order system,
 examining with simulation charts; B3-3

Ellipse (Aux menu),
 creating ellipses with; 4-15

ellipses,
See Also graphical objects; places;
 creating; 4-15
 creation mode,
 characteristics; 4-15
 tool,
 characteristics and illustration; 4-15

empty multiset,
See Also multisets;
 term definition; 5-7

enabled,
 list,
 putting all enabled transitions on, for SalesNet
 model execution with conflict; 11-15
 scanning, for SalesNet model execution with
 conflict; 11-15
 term definition; 7-4, 11-14

enabled (cont'd),
 list (cont'd),
 updating, for SalesNet model execution with
 conflict; 11-20
 term definition; 7-2
 with that binding,
 term definition; 7-7

enablement,
See Also algorithms; bindings; occurrence sets;
 criteria for; 7-3
 factors determining; 7-2
 identical enabling bindings; 11-3
 multiple enabling bindings; 11-2
 simulated time impact on; 16-5
 simulation region identifying; 8-9
 term definition; 7-2

enabling,
 bindings,
 conflict issues; 11-7
 term definition; 7-7
 multiset,
 term definition; 7-3
 transitions,
 by binding input arc inscription variables; 7-7

Enter Editor (File menu),
 leaving the simulator with; 8-19

Enter Group Mode (Group menu),
 reconstructing groups with; 4-27

Enter Order transition (FirstModel),
 operations performed by; 13-8

Enter Simulator (File menu),
 entering the simulator with; 8-7
 starting the Sales Order Model with; B2-3

Enter Text Mode (Text menu),
 adding text to rectangles with; 4-10

entering,
See Also leaving;
 simulator,
 with Enter Simulator (File menu); 8-7
 text; 4-21

entities,
See Also modeling; representation;
 represented in the Sales Order Model; B1-2
 representing with colorsets; 10-4

enumerated colorsets,
 term definition and characteristics; 5-4

environment,
 graphical,
 setting; 6-2
 term definition; 6-2
 tutorial,
 establishing; 6-3

- equal (=),**
 - boolean operator used in guards; 7-8
 - equipment,**
 - FirstModel,
 - characteristics; 13-2
 - Sales Order Model,
 - characteristics; B1-2
 - simulation parameters; B1-5
 - errors,**
 - error box,
 - interpreting; 9-4
 - term definition; 9-3
 - locating,
 - with text pointers; 9-4
 - missing colorset,
 - fixing; 9-5
 - ML,
 - detecting; 9-9
 - syntax,
 - detecting, with the Syntax Check command (CPN menu); 8-2
 - handling, (chapter); 9-1
 - missing colorset; 9-2
 - undeclared CPN variables; 9-6
 - undeclared CPN variables,
 - fixing; 9-6
 - establishing,**
 - See Also* creating; specifying;
 - initial markings,
 - for SalesNet model execution with conflict; 11-15
 - tutorial environment; 6-3
 - evaluating,**
 - input arc inscriptions,
 - during SalesNet execution; 10-9
 - during transition firing; 7-13
 - output arc inscriptions,
 - during SalesNet execution; 10-10
 - during transition firing; 7-13
 - executing,**
 - binding elements; 11-16
 - CP nets; 7-1, 8-10
 - (chapter); 8-1
 - FirstNet model, concurrent execution; 11-4
 - order of execution events; 8-16
 - overview; 5-16
 - SalesNet, interactive execution; 10-12
 - SalesNet, simulator actions; 10-9
 - starting execution, with Interactive Run command (Sim menu); 8-14
 - with fusion sets; A2-19
 - with instance fusion sets; A2-25
 - executing (cont'd),**
 - models,
 - automatic mode; 15-20
 - FirstModel (chapter); 15-1
 - interactive vs. fast mode; 15-15
 - occurrence sets,
 - algorithm for; 11-16
 - elements; 11-16
 - Resource Use Model; A2-4
 - SalesNet model with conflict; 11-15
 - timed CP nets; 16-16
 - execution,**
 - concurrent,
 - SalesNet model; 11-7
 - modes,
 - alternating between automatic and interactive; 15-21
 - automatic, executing a model with; 15-21
 - fair automatic compared with fast automatic mode; 15-16
 - specifying, actual; 15-18
 - specifying, possible; 15-17
 - specifying stop criteria for; 15-19
 - states,
 - loading; 15-23
 - saving; 15-22
 - starting with a saved; 15-24
 - experimenting,**
 - See Also* modeling;
 - with Sales Order Model improvements; B3-6
 - expressions,**
 - boolean,
 - used in guards; 7-8
 - delay,
 - syntax and characteristics; 16-7
 - extending,**
 - CP nets,
 - FirstNet into SalesNet (chapter); 10-1
- ## F
- fair automatic mode,**
 - term definition and comparison with fast automatic mode; 15-16
 - fast automatic mode,**
 - term definition and comparison with fair automatic mode; 15-16
 - fax number,**
 - Meta Software; 1-7
 - feedback region,**
 - term definition; 8-9

File menu,

- Close command,
 - closing diagrams with; 2-9
- Enter Editor command,
 - leaving the simulator with; 8-19
- Enter Simulator command,
 - entering the simulator with; 8-7
 - starting the Sales Order Model with; B2-3
- Load State command,
 - saving an execution state with; 15-23
- Load Subdiagram command,
 - loading a subdiagram with; A2-12
- New command,
 - creating a CP net with; 6-5
 - creating new diagrams with; 4-6
- Open command,
 - opening a diagram with; 2-5
 - opening CP nets with; 8-1
 - starting the Sales Order Model with; B2-3
- Quit command,
 - exiting Design/CPN Sales Order Model experiments with; B3-14
 - quitting Design/CPN with; 2-10
- Save As command,
 - saving CP nets with; 6-16
- Save State command,
 - saving an execution state with; 15-22
- Save Subdiagram command,
 - saving a subdiagram with; A2-12

files,

- Design/CPN files,
 - characteristics, contents, and use; 2-3
- Sales Order Model; B1-1
- simulation parameters,
 - Sales Order Model, contents and use; B2-1

fire,

- term definition; 7-12

firing,

- concurrent transitions; 11-3
- simulation region identifying; 8-9

FirstModel model,

- characteristics and components; 13-1
- concurrency; 13-18
- entering an order; 13-17
- operations; 13-7
- processing an order; 13-17
- SalesNet compared with; 13-2
- shipping an order; 13-17
- structure of; 13-3
- summary of operations; 13-16
- superpage,
 - compared with SalesNet; 13-5

FirstNet model,

- concurrent execution of; 11-4
- extending,
 - into SalesNet (chapter); 10-1

FirstNetDemo model,

- breakpoints,
 - beginning of substep; 8-15
 - end of substep; 8-16

folder,

- establishing a tutorial; 2-4

Fusion Place (CPN menu),

- adding places to a fusion set with; A2-9
- creating,
 - a fusion set with; A2-6
 - instance fusion sets with; A2-24
 - multi-page fusion sets with; A2-14
 - multiple fusion sets with; A2-15
 - page fusion sets with; A2-18
- deleting,
 - fusion sets with; A2-11
 - places from a fusion set with; A2-10

fusion,

- key region,
 - term definition and illustration; A2-8
- places,
 - (chapter); A2-1
 - characteristics; A1-2
 - global, physical appearance; A2-8
 - global, term definition; A2-8
 - instance, term definition; A2-24
 - multiple pages; A2-11
 - page, term definition; A2-17
 - ports as a type of; 12-8
 - single page; A2-4
 - sockets as a type of; 12-8
 - term definition; 12-1, A1-2, A2-1
- region,
 - term definition; A2-8
- sets,
 - adding places to; A2-9
 - deleting with Fusion Place (CPN menu); A2-11
 - executing CP nets with; A2-19
 - global, creating; A2-6
 - global, term definition; A2-7
 - initial markings and; A2-10
 - instance, creating; A2-20
 - instance, executing CP nets with; A2-25
 - multiple, working with; A2-14
 - multiplicity and; A2-23
 - page, creating; A2-17
 - page, term definition; A2-17
 - page-spanning, working with; A2-13

fusion (cont'd),

- sets (cont'd),
 - removing places from; A2-10
 - term definition; A1-2, A2-1
- subsets,
 - instance, term definition; A2-24
 - page, term definition; A2-17

G

General Simulation Options (Set menu),

- simulating with and without; 16-18
- specifying actual executions modes with; 15-18

generating,

- See Also* creating;
- output multisets,
 - during SalesNet execution; 10-11

global,

- declaration node,
 - adding declarations to extend FirstNet into SalesNet; 10-2
 - creating; 6-14
 - creation mode, term definition; 6-15
 - declaring a timed colorset in; 16-7
 - FirstModel; 13-3
 - moving to a new page; 10-20
 - term definition; 5-3
- declarations,
 - converting SalesNet into FirstModel; 14-1
- fusion place,
 - physical appearance; A2-8
 - term definition; A2-8
- fusion set,
 - term definition; A2-7

graphical objects,

- See Also* ellipses;
- characteristics; 4-2
- creating; 4-4
 - from text mode; 4-17
- deleting; 4-14
- editing; 4-3
- multiple,
 - working with different types; 4-17
 - working with; 4-13
- selecting; 4-14
- term definition; 4-1

graphics,

- auxiliary compared with CPN; 6-1
- Design/CPN editor,
 - (chapter); 4-1

graphics (cont'd),

- graphical environment,
 - term definition; 6-2
- graphics mode,
 - characteristics; 4-3
 - term definition; 4-3
- graphics tool,
 - term definition; 4-3

greater than (>),

- boolean operator used in guards; 7-8

greater than or equal (>=),

- boolean operator used in guards; 7-8

Group menu,

- Enter Group Mode command,
 - reconstructing groups with; 4-27
- Leave Group Mode command,
 - deselecting groups with; 4-27
- Regroup command,
 - reconstructing groups with; 4-27
- selecting groups with; 4-26
- Ungroup command,
 - deselecting groups with; 4-27

groups,

- deselecting; 4-27
- group mode,
 - term definition; 4-25
- group tool,
 - characteristics and illustration; 4-25
- mixed,
 - restrictions; 4-26
- operations on; 4-26
- reconstructing; 4-27
- selecting; 4-26
- term definition; 4-25

guards,

- See Also* input arc inscriptions;
- changing rules with,
 - FirstModel; 15-8
- characteristics,
 - and term definition; 5-16
 - as CP net component; 5-1
- creating; 6-8
 - for FirstModel; 14-29
- guard region creation mode,
 - term definition; 6-8
- modifying to extend FirstNet into SalesNet; 10-2
- representing constraints and conditions with; 10-6
- role in enabling transitions; 7-3
- syntax; 7-8
- term definition; 3-4, 7-3

H

handles,

See Also arcs; connectors;
term definition; 4-9

handling,

syntax errors,
(chapter); 9-1

hierarchy,

See Also fusion; substitution transitions;

hierarchical CP nets,

developing on a subpage; A3-21
relationship among pages in; A3-24
term definition; 1-2

hierarchical decomposition,

substitution transitions, introduction (chapter);
12-1
term definition; 12-2

introduction,

(chapter); A1-1

key region,

moving with Drag command (Makeup menu); 12-6
term definition; 12-5, A3-10

page,

changes when a substitution transition is created;
12-11
deleting a page from; A3-25
error box location on; 9-3
for a hierarchical CP net diagram; A3-2
hierarchical CP net for top-down net development;
A3-23
improving appearance; 10-19, 12-12, A3-16
term definition and characteristics; 2-7

region,

term definition; 12-5, A3-10
term definition; A1-1

Horizontal (Align menu),

aligning nodes in a row with; 14-17

Horizontal Spread (Align menu),

aligning nodes with; 14-16

horizontal spread,

aligning nodes along,
with Horizontal Spread command (Align menu);
14-16

I

IDEF0 modeling paradigm,

characteristics; 3-2
compared with CP net modeling; 3-4

incremental net development,

prime page role; 8-4

initial markings,

See Also places;

changing,

to add more equipment to the SalesNet model; 11-8

establishing,

for SalesNet model execution with conflict; 11-15

fusion sets and; A2-10

location of in a hierarchical net,

modeling considerations; 15-4

region,

characteristics and term definition; 5-12

initializing with Initial State command (Sim
menu); 11-13

specifying; 6-10

term definition; 5-12

time stamps and; 16-10

initial state,

term definition; 5-12

Initial State (Sim menu),

experimenting with changed simulation parameters
for the Sales Order Model; B3-8

initializing SalesNet after changing in the simulator;
11-13

initializing state after changing initial markings in
FirstModel; 15-5

initializing the CP net state with; 8-13

initializing,

CP net state with Initial State (Sim menu); 8-13

initial marking region,

with Initial State command (Sim menu); 11-13

Sales Order Model; B3-8

SalesNet after changing in the simulator; 11-13

state after changing initial markings in FirstModel;
15-5

input,

arcs,

term definition; 5-14

places,

creating; 6-8

removing enabling multisets from, during
transition firing; 7-13

term definition; 5-14

input (cont'd),

- token key region,
 - term definition; 8-15
- token region,
 - term definition; 8-15
- tokens,
 - term definition; 8-15

input arc inscriptions,

- See Also* arcs; guards; inscriptions;
- binding variables in; 7-7
- characteristics as CP net component; 5-1
- constants used as; 7-4
- evaluating,
 - during SalesNet execution; 10-9
 - during transition firing; 7-13
- role in enabling transitions; 7-2
- term definition; 3-4, 5-15

inscriptions,

- arc,
 - characteristics and term definition; 5-15
 - creating; 6-13
 - creating, for FirstModel; 14-24
 - detecting errors in; 9-9
 - input, term definition; 3-4
 - output, term definition; 3-4
- input arc,
 - binding variables in; 7-7
 - constants used as; 7-4
 - evaluating during SalesNet execution; 10-9
 - evaluating during transition firing; 7-13
 - role in enabling transitions; 7-2
- output arc,
 - delay expressions on; 16-8
 - evaluating during SalesNet execution; 10-10
 - evaluating during transition firing; 7-13

Instance Switch dialog,

- switching among page instances with; A3-35

instance,

- fusion place,
 - term definition; A2-24
- fusion sets,
 - creating; A2-20
- fusion subsets,
 - term definition; A2-24
- page,
 - creating; A2-21
 - switching among, with the Instance Switch dialog; A3-35
 - term definition; A2-20

integer colorsets,

- characteristics and term definition; 5-6

interactive mode,

- term definition and characteristics; 15-16

Interactive Run (Sim menu),

- constructing an occurrence set with; 11-15
- executing,
 - CP nets with; 8-10
 - FirstModel with; 15-3
 - SalesNet with; 10-13
- starting execution with; 8-14

Interactive Simulation Options (Set menu),

- setting breakpoints; 8-12
 - for FirstModel; 15-3
 - for SalesNet breakpoints with; 10-13

interpreting,

- Sales Order Model run results; B3-1

J

Jensen, Kurt,

- bibliographic reference; 1-1

job,

- stream (Sales Order Model),
 - simulation parameters; B1-4
- value (Sales Order Model),
 - simulation parameters; B1-5

K

key region,

- term definition and characteristics; 10-15

keyboard,

- Design/CPN use of; 2-4

keystroke,

- shortcuts; 4-5

L

Label (Aux menu),

- creating rectangles with; 4-21

labels,

- creating; 4-21
- differences between graphical objects and; 4-22
- label creation mode,
 - characteristics; 4-21
- label tool,
 - characteristics and illustration; 4-21
- term definition; 4-2

Leave Group Mode (Group menu),

deselecting groups with; 4-27

Leave Text Mode (Text menu),

adding text to rectangles with; 4-10

leaving,

See Also entering;

simulator,

with Enter Editor command (File menu); 8-19

less than (<),

boolean operator used in guards; 7-8

less than or equal (<=),

boolean operator used in guards; 7-8

literals,

as exact token values; 7-4

Load State (File menu),

saving an execution state with; 15-23

Load Subdiagram (File menu),

loading a subdiagram with; A2-12

loading,

See Also saving;

execution states; 15-23

subdiagrams; A2-12

locality,

See Also concurrency; modeling;

CP net,

term definition; 13-19

locating,

errors,

with text pointers; 9-4

errors; 9-3

locations,

as dynamic modeling paradigm component; 3-3

CP net places as representations for; 3-3

representing with places; 10-5

M

Macintosh,

Design/CPN use of; 2-3

macros,

subpages compared to; A3-24

Make Region (Aux menu),

creating regions with; 4-23

Makeup menu,

Change Shape command,

changing transition shape with; A3-28

matching transition sizes with; 14-10

Child Object command,

improving the appearance of a substitution

transition with; 12-6

selecting a region with; A3-13

Makeup menu (cont'd),

Drag command,

moving a region with; A3-13

moving hierarchy key region with; 12-6

mapping,

inputs to output,

role of the simulator in; 11-3

markings,

appearance of; 5-13

characteristics and term definition; 5-12

current marking key region,

term definition; 8-9

current marking region,

term definition; 8-9

current simulation regions,

describing; 8-9

initial marking region,

characteristics and term definition; 5-12

initial,

fusion sets and; A2-10

specifying; 6-10

term definition; 5-12

mathematical introduction,

Petri nets,

bibliographic reference; 1-1

menu bar,

characteristics; 2-5

Meta Software,

addresses and telephone numbers; 1-7

ML language,

application,

term definition; 2-3

errors,

detecting; 9-9

file,

term definition; 2-3

role in CP nets; 5-1

window,

term definition and illustration; 8-3

Mode Attributes (Set menu),

creating multiple page instances with; A2-21

designating prime pages with; 8-5

specifying prime pages with; A2-13

model time,

term definition; 16-5

modeling,

See Also behavior; choice; representation;

activities,

with transitions; 10-6

analyzing FirstModel execution; 15-3

under heavy load; 15-7

modeling (cont'd),

- analyzing FirstModel execution (cont'd),
 - with different occurrence set parameter settings; 15-14
 - with partial constraints; 15-9
- behavior resulting from net execution; 13-20
- concurrency issues; 15-11
- conditions,
 - with guards; 10-6
- documenting the model through comments; 14-2
- effective space use,
 - creating a separate page for global declarations; 10-17
 - improving the appearance of the hierarchy page; 10-19
- entities,
 - with colorsets; 10-4
- experimenting with a model,
 - guidelines for; 15-6
- experimenting with Sales Order Model
 - improvements; B3-6
- extending a small net into a high-level model, (chapter); 10-1
- initial marking location considerations; 15-4
- interpreting the results of Sales Order Model run; B3-1
- locality in CP nets; 13-19
- locations,
 - with places; 10-5
- mutual independence of transitions in CP nets; 13-19
- occurrence set construction issues; 15-10
- paradigms,
 - (chapter); 3-1
 - dynamic, term definition and characteristics; 3-3
 - static, term definition and characteristics; 3-1
 - term definition; 3-1
- power of locality for real-world representation; 13-19
- representation,
 - SalesNet model relationship to the system it represents; 10-4
- requirements for skill in; 1-6
- rules,
 - with guards; 10-6
- specifying how and when to stop; 15-19
- submodels; 15-4
- understanding a simple model (chapter); 13-1

models,

- See Also* FirstModel model; FirstNet model;
 - FirstNetDemo model; Resource Use model;
 - Sales Order model; SalesNet model;
- building a simple (chapter); 14-1
- CP nets compared with; 5-3

models (cont'd),

- executing,
 - automatic mode; 15-20
 - FirstModel (chapter); 15-1
 - interactive vs. fast mode; 15-15

modes,

- execution,
 - alternating between automatic and interactive; 15-21
 - specifying, actual; 15-18
 - specifying, possible; 15-17
- graphics,
 - term definition; 4-3
- graphics editor,
 - term definition; 4-3
- text,
 - term definition; 4-3

modularity,

- See Also* hierarchy;
- CP nets,
 - prime page role; 8-4

Move to Subpage (CPN menu),

- creating subpages with; 12-3, A3-9
- top-down hierarchical CP net development with; A3-22

moving,

- See Also* navigating;
- CP net components between pages; 10-20
- hierarchy key region,
 - with Drag command (Makeup menu); 12-6
- parents; 4-24
- rectangles; 4-9
 - during creation; 4-10
- regions; A3-12

multiplicity,

- fusion and; A2-23
- substitution transitions and; A3-33
- term definition; A2-20

multiprocessing,

- Design/CPN use of; 2-3

multisets,

- adding; 5-8
- designator,
 - term definition and characteristics; 5-8
- empty,
 - term definition; 5-7
- enabling,
 - removing during SalesNet execution; 10-10
- multiplex creation operator (),
 - creating multisets with; 5-8
- output,
 - generating during SalesNet execution; 10-11

multisets (cont'd),
 output (cont'd),
 putting into output place during transition firing;
 7-14
 term definition; 7-13
 regions,
 term definition; 8-15
 removing enabling from each input place,
 during transition firing; 7-13
 specifying; 5-8
 subsetting; 5-9
 subtracting; 5-9
 term definition and characteristics; 5-7
 time stamps and; 16-11

N

naming,
 name region creation mode,
 term definition; 6-7
 pages,
 with Page Attributes command (Set menu); 10-18
 places; 6-9
 for FirstModel subpage; 14-12
 substitution transitions; 12-5, A3-10
 transitions; 6-6

navigating,
See Also moving;
 diagrams; 2-7
 from subpage to superpage,
 by double-clicking on a port; A3-6
 to an error with cursor keys; 9-4

New (File menu),
 creating a CP net with; 6-5
 creating new diagrams with; 4-6

New Page (Page menu),
 creating a page for global declarations with; 10-18

nodes,
See Also regions;
 aligning,
 along a diagonal, with Align menu commands;
 14-16
 with Align menu commands; 14-16
 CPN,
 term definition; 6-2
 global declaration,
 adding declarations to extend FirstNet into
 SalesNet; 10-2
 creating; 6-14
 declaring a timed colorset in; 16-7

nodes (cont'd),
 page,
 term definition and characteristics; 2-8
 reference,
 term definition; 14-16
 regions and; 4-22
 term definition; 4-2

not (boolean NOT),
 boolean operator used in guards; 7-8

not equal (<>),
 boolean operator used in guards; 7-8

O

object attributes,
 term definition and characteristics; 6-2

objects,
 CPN compared with auxiliary; 4-2
 data,

occlusion order,
 term definition; 4-14

occur,
 term definition; 7-2

occurrence,
 what happens when a transition occurs; 7-11

occurrence sets,
See Also algorithms; bindings;
 characteristics; 15-10
 concurrency in relation to; 15-11
 constructing; 15-10
 for SalesNet model execution with conflict; 11-15
 controlling the appearance of concurrency with;
 15-10
 executing,
 algorithm for; 11-16
 the elements in; 11-16
 parameters controlling their construction,
 scope of; 15-14
 setting; 15-14
 term definition; 15-11
 setting parameters,
 with Occurrence Set Options (Set menu); 15-12
 term definition; 11-14, 15-10

Occurrence Set Options (Set menu),
 setting occurrence set parameters with; 15-12

omitting,
See Also deleting;
 time stamp; 16-9

Open (File menu),
 opening a diagram with; 2-5
 opening CP nets with; 8-1

open page,
term definition; 2-7

Open Page (Page menu),
accessing hierarchy page with; 10-19
examining bar chart page with; B3-3
opening pages with; 2-7
selecting a page with; 8-5

opening,
CP nets,
with Open (File menu); 8-1
diagram; 2-5
pages,
with Open Page (Page menu); 2-7, 8-5

operators,
See Also expressions;
backquote (`); 5-8
boolean,
used in guards; 7-8
comparison,
used in guards; 7-8

order processing,
FirstModel,
characteristics; 13-2

orders,
FirstModel,
characteristics; 13-1

or else (boolean OR),
boolean operator used in guards; 7-8

output,
arcs,
term definition; 5-14
multisets,
generating during SalesNet execution; 10-11
putting into output place during transition firing;
7-14
term definition; 7-13
places,
creating; 6-12
putting the output multiset into during transition
firing; 7-14
term definition; 5-14
representing with output arcs and output arc
inscriptions; 10-8
token key region,
term definition; 8-15
token region,
term definition; 8-15
tokens,
term definition; 8-15

output arc inscriptions,
characteristics as CP net component; 5-1
delay expressions on; 16-8

output arc inscriptions (cont'd),
evaluating,
during SalesNet execution; 10-10
during transition firing; 7-13
specifying output with; 10-8
term definition; 3-4, 5-15

P

page,
mode key region,
term definition; 8-6
mode region,
term definition; 8-6
node,
term definition and characteristics; 2-8
numbers,
printing use of; 2-9

Page Attributes (Set menu),
Page Height component,
page border specified by; 2-6
Page Width component,
page border specified by; 2-6
renaming pages with; 10-20
renaming pages with; 12-13

page border,
term definition and characteristics; 2-6

Page Height component - Page Attributes (Set menu),
page border specified by; 2-6

page instances,
multiple,
setting their representation in an occurrence set;
15-12

Page menu,
New Page command,
creating a page for global declarations with; 10-18
Open Page command,
accessing hierarchy page with; 10-19
examining bar chart page with; B3-3
opening pages with; 2-7
selecting a page; 8-5
Redraw Hierarchy command,
redrawing the hierarchy page with; 12-12, A3-17

Page Width component - Page Attributes (Set menu),
page border specified by; 2-6

pages,
closed,
term definition; 2-7

pages (cont'd),

- creating,
 - for global declarations; 10-17
- decomposition,
 - creating, Design/CPN actions; 12-9
 - simplifying; 12-10
- deleting; A3-25
- fusion place,
 - term definition; A2-17
- fusion sets,
 - creating; A2-17
 - term definition; A2-17
- fusion subsets,
 - term definition; A2-17
- hierarchy,
 - for a hierarchical CP net diagram; A3-2
 - hierarchical CP net for top-down net development; A3-23
 - improving the appearance of; 10-19, 12-12, A3-16
 - term definition and characteristics; 2-7
- instances,
 - creating; A2-21
 - term definition; A2-20
- moving CP net components between; 10-20
- multiple,
 - distributing a CP net across; 12-1
 - setting their representation in an occurrence set; 15-12
- naming,
 - with Page Attributes command (Set menu); 10-18
- open,
 - term definition; 2-7
- opening,
 - with Open Page (Page menu); 2-7, 8-5
- prime,
 - designating with Mode Attributes (Set menu); 8-4, 8-5
 - specifying; A2-13
 - term definition; 8-5
- relationship among in a hierarchical CP net; A3-24
- renaming; 12-13
 - from the hierarchy page; 10-20
- term definition and characteristics; 2-6

parameters,

- occurrence set,
 - setting with Occurrence Set Options (Set menu); 15-12
- simulation,
 - changing, for Sales Order Model; B3-6
 - Sales Order Model; B1-4

parameters (cont'd),

- simulation (cont'd),
 - Sales Order Model, contents and use of the file containing; B2-1

parentheses (()),

- guards use of; 7-8

parents,

- See Also* regions;
- deleting; 4-25
- moving; 4-24

pasting,

- text regions; 14-26

patterns,

- tuple,
 - characteristics; 13-12
 - term definition; 13-12

performance,

- fast model execution vs. interactive model execution; 15-15

performing,

- See Also* executing;
- syntax check; 8-2

Petri nets,

- See Also* CP nets; Design/CPN;
- characteristics and use; 1-1
- hierarchical colored,
 - term definition; 1-2
- history; 1-1
- mathematical introduction,
 - bibliographic reference; 1-1
- term definition; 1-1

Place (CPN menu),

- creating places with; 6-8

place creation mode,

- term definition; 6-8

place tool,

- term definition and illustration; 6-8

places,

- See Also* colorsets; ellipses; initial markings;
- adding to fusion sets; A2-9
- as CP net locations; 3-3
- characteristics and term definition; 5-11
- characteristics as CP net component; 5-1
- creating,
 - for FirstModel subpage; 14-12
- current marking simulation regions,
 - characteristics; 8-9
- fusion,
 - multiple pages; A2-11
 - page, term definition; A2-17
 - ports as a type of; 12-8
 - sockets as a type of; 12-8

Design/CPN Tutorial

places (cont'd),

- global fusion,
 - physical appearance; A2-8
 - term definition; A2-8
- input,
 - creating; 6-8
 - removing enabling multisets from, during transition firing; 7-13
- markings,
 - characteristics and term definition; 5-12
- naming; 6-9
 - for FirstModel subpage; 14-12
- output,
 - creating; 6-12
 - putting the output multiset into, during transition firing; 7-14
- removing from fusion sets; A2-10
- representing locations with; 10-5

pointer tool,

- characteristics and illustration; 4-23

popup regions,

- term definition and characteristics; 10-15

Port Assignment (CPN menu),

- manually assigning ports to sockets with; A3-39

ports,

- as a type of fusion place; 12-8
- key region,
 - term definition; 12-9
- manually assigning to sockets; A3-36
- navigating from a subpage to a superpage by double-clicking on; A3-6
- port key region,
 - term definition; A3-5
- port region,
 - term definition; A3-5
- rearranging,
 - for FirstModel; 14-7
- region,
 - term definition; 12-9
- relationship to sockets; 14-5
- socket relationship to; A3-6
- subpage,
 - FirstModel appearance before modification; 14-4
 - term definition; 12-8, A3-1

preserving,

- See Also* aligning;
- aspect ratio; 4-12

prime pages,

- See Also* occurrence sets; simulation;
- designating; 8-4
 - with Mode Attributes (Set menu); 8-5
- specifying; A2-13

prime pages (cont'd),

- term definition; 8-5

printing,

- diagrams; 2-9

Process Order transition (FirstModel),

- enablement of; 13-13
- firing; 13-14
- operations performed by; 13-10

process,

- modeling; 3-1

products,

- FirstModel,
 - characteristics; 13-2

Q

Quit (File menu),

- exiting Design/CPN Sales Order Model experiments with; B3-14
- quitting Design/CPN with; 2-10

quitting,

- See Also* entering;
- Design/CPN; 2-10

R

rebinding,

- See Also* bindings; CPN variables;
- CPN variables,
 - during transition firing; 7-12

reconstructing,

- groups; 4-27

rectangles,

- See Also* transitions;
- adding text to; 4-10
- creating; 4-7
 - a series of; 4-11
 - adding text while; 4-12
- deleting; 4-10
- moving; 4-9
 - during creation; 4-10
- preserving the aspect ratio during size change; 4-12
- rectangle creation mode,
 - characteristics; 4-7
- rectangle tool,
 - characteristics and illustration; 4-7
- reshaping; 4-9

Redraw Hierarchy (Page menu),

- redrawing the hierarchy page with; 12-12, A3-17

- reference nodes,**
term definition; 14-16
- region,**
key,
term definition and characteristics; 10-15
- regions,**
See Also nodes;
CPN,
term definition; 6-2
creating; 4-23
current marking key,
term definition; 8-9
current marking,
term definition; 8-9
editing; 4-24
feedback,
term definition; 8-9
fusion key,
term definition and illustration; A2-8
hierarchy key,
moving with Drag command (Makeup menu); 12-6
term definition; A3-10
hierarchy,
term definition; A3-10
initial marking,
characteristics and term definition; 5-12
initializing with Initial State command (Sim menu); 11-13
moving the parent of; 4-24
moving; A3-12
popup,
term definition and characteristics; 10-15
port,
term definition; 12-9, A3-5
port key,
term definition; 12-9, A3-5
region tool,
term definition and illustration; 6-7
restoring the independence of a; 4-24
selecting; A3-12
simulation,
characteristics and purpose; 8-8
current marking; 8-9
feedback; 8-9
removing with Remove Sim Regions command (CPN menu); 8-20
term definition; 8-9
transition feedback; 8-9
substitution tag,
term definition; 12-12
term definition and characteristics; 4-22
- regions (cont'd),**
text,
copying; 14-26
pasting; 14-26
time,
term definition; 16-8
- Regroup (Group menu),**
reconstructing groups with; 4-27
- Remove Sim Regions (CPN menu),**
cleaning up diagrams during hierarchy simulation;
A3-35
removing simulation regions with; 8-20
- removing,**
See Also creating;
enabling multisets from each input place,
during transition firing; 7-13
during SalesNet execution; 10-10
places from fusion sets; A2-10
simulation regions,
with Remove Sim Regions command (CPN menu);
8-20
- renaming,**
pages; 12-13
from the hierarchy page; 10-20
- Replace by Subpage (CPN menu),**
reversing substitution transition creation with;
A3-19
- representation,**
activities,
modeling with transitions; 10-6
causality,
in FirstModel; 16-4
concurrency; 11-2
conditions,
modeling with guards; 10-6
conflict; 11-5
entities,
modeling with colorsets; 10-4
locations,
modeling with places; 10-5
modeling,
SalesNet model relationship to the system it
represents; 10-4
modeling paradigms,
dynamic, term definition and characteristics; 3-3
static, term definition and characteristics; 3-1
rules,
modeling with guards; 10-6
Sales Order Model entities; B1-2
state,
transition use as; 11-3

representation (cont'd),

time,
simulated (chapter); 16-1

representing,

data output with output arcs and output arc
inscriptions; 10-8

rerouting,

See Also aligning;
arcs; A3-12

resetting,

drawing environment; 4-6

reshaping,

See Also aligning; creating;
rectangles; 4-9

Resource Use Model,

characteristics and files; A2-1
description; A2-3
executing; A2-4
hierarchy page; A3-2
overall structure; A3-6
subpage; A3-4
superpage; A3-3

resources,

allocation of; 11-1
competition for,
as concurrency problem; 11-1
modeling with FirstModel; 15-7

restoring,

drawing environment; 4-6

Reswitch (Sim menu),

reswitching after changing initial markings in
FirstModel; 15-5
reswitching SalesNet after changing in the simulator;
11-13

reswitching,

after changing a CP net in the simulator; 11-13

reversing,

substitution transition creation; A3-18

routing,

See Also aligning;
connectors; 4-19
automatic; 4-20

row,

aligning nodes in,
with Horizontal command (Align menu); 14-17

rules,

as source of system inefficiency,
detecting through simulation; B3-14
representing with guards; 10-6

running,

See Also executing;
Sales Order Model; B2-3

S

Sales Order Model,

detecting inefficiency in the system described by;
B1-4
efficiency charts,
examining; B3-3
experimenting with changed simulation parameters;
B3-8
inefficiency in the system described by; B1-3
interpreting and using (chapter); B3-1
introduction to (chapter); B1-1
overview; B1-1
revenue charts,
examining; B3-1
running; B2-3
(chapter); B2-1
starting,
with Enter Simulator (File menu); B2-3

SalesNet model,

changing in the simulator; 11-12
concurrent execution of; 11-7
executing with conflict; 11-15
extending,
with substitution transitions; 12-1
FirstModel compared with; 13-2
Order Processing System modeled by; 10-3
superpage,
compared with FirstModel; 13-5

satisfy,

term definition; 7-10

Save As (File menu),

saving CP nets with; 6-16

Save State (File menu),

saving an execution state with; 15-22

Save Subdiagram (File menu),

saving a subdiagram with; A2-12

saving,

See Also loading;
CP nets; 6-16
diagram changes,
with Save Changes dialog (Close command); 2-10
diagrams; 6-16
execution states; 15-22
subdiagrams; A2-12

scrolling,

autoscrolling characteristics; 4-5

segments,

term definition; 4-19

- selecting,**
 - graphical objects; 4-14
 - groups; 4-26
 - pages,
 - with Open Page (Page menu); 8-5
 - regions; A3-12
- Set menu,**
 - Copy Defaults command,
 - copying diagram defaults with; 6-4
 - General Simulation Options command,
 - simulating with and without; 16-18
 - specifying actual executions modes with; 15-18
 - Interactive Simulation Options command,
 - setting breakpoints with; 8-12
 - setting FirstModel breakpoints with; 15-3
 - setting SalesNet breakpoints with; 10-13
 - Mode Attributes command,
 - creating multiple page instances with; A2-21
 - designating prime pages with; 8-5
 - specifying prime pages with; A2-13
 - Occurrence Set Options command,
 - setting occurrence set parameters with; 15-12
 - Page Attributes command,
 - Page Height component, page border specified by; 2-6
 - Page Width component, page border specified by; 2-6
 - renaming pages with; 10-20, 12-13
 - Page Height component - Page Attributes command,
 - page border specified by; 2-6
 - Page Width component - Page Attributes command,
 - page border specified by; 2-6
 - Shape Attributes command,
 - specifying bidirectional arcs with; 14-20
 - Simulation Code Options command,
 - compiling timed CP nets with; 16-14
 - specifying possible execution modes with; 15-17
- sets,**
 - See* multisets;
- setting,**
 - breakpoints,
 - for FirstModel; 15-3
 - for SalesNet execution; 10-13
 - with Interactive Simulation Options command (Set menu); 8-12
 - graphical environment; 6-2
 - occurrence set parameters,
 - with Occurrence Set Options (Set menu); 15-12
- shape,**
 - transition,
 - changing with Change Shape command (Makeup menu); A3-28
- Shape Attributes (Set menu),**
 - specifying bidirectional arcs with; 14-20
- Shift-DownArrow keys,**
 - navigating to an error with; 9-5
- Ship Product transition (FirstModel),**
 - operations performed by; 13-15
- shortcuts,**
 - keystroke; 4-5
- Sim menu,**
 - Automatic Run command,
 - executing a model with; 15-21
 - running the Sales Order Model with; B2-3
 - characteristics and purpose; 8-10
 - Continue command,
 - continuing execution after a breakpoint with; 8-16, 11-18
 - Initial State command,
 - experimenting with changed simulation parameters for the Sales Order Model; B3-8
 - initializing SalesNet after changing in the simulator; 11-13
 - initializing state after changing initial markings in FirstModel; 15-5
 - initializing the CP net state with; 8-13
 - Interactive Run command,
 - constructing an occurrence set with; 11-15
 - executing CP nets with; 8-10
 - executing FirstModel with; 15-3
 - executing SalesNet with; 10-13
 - starting execution with; 8-14
 - Reswitch command,
 - reswitching FirstModel after changing initial markings; 15-5
 - reswitching SalesNet after changing in the simulator; 11-13
 - Stop command,
 - canceling CP net execution with; 8-18
- simplifying,**
 - See Also* aligning;
 - decomposition page; 12-10
- Simulation Code Options (Set menu),**
 - compiling timed CP nets with; 16-14
 - specifying possible execution modes with; 15-17
- simulation,**
 - See Also* breakpoints;
 - interpreting the results of Sales Order Model run; B3-1
 - parameters,
 - changing, for Sales Order Model; B3-6
 - Sales Order Model; B1-4
 - regions,
 - adjusting for SalesNet execution; 10-13

simulation (cont'd),

- regions (cont'd),
 - characteristics and purpose; 8-8
 - current marking; 8-9
 - feedback; 8-9
 - removing with Remove Sim Regions command (CPN menu); 8-20
 - term definition; 8-9
 - transition feedback; 8-9
- simulated time,
 - mechanism; 16-5
- specifying time for; 16-7
- with and without time; 16-18
- with fusion sets; A2-19
- with hierarchy; A3-34
- with instance fusion sets; A2-25

simulator,

- actions,
 - taken at the beginning of substep breakpoint; 8-15
 - when executing SalesNet; 10-9
- algorithm,
 - determining enablement; 7-4
- changing a net in; 11-12
- characteristics; 7-1
- entering,
 - with Enter Simulator (File menu); 8-7
- executing CP nets with; 7-14
 - (chapter); 8-1
- execution algorithm; 11-14
 - illustrating with SalesNet model execution with conflict; 11-15
- leaving,
 - with Enter Editor command (File menu); 8-19
- role in mapping inputs to outputs; 11-3
- term definition; 7-1

size,

- rectangle,
 - preserving the aspect ratio while changing; 4-12

sizes,

- matching,
 - for transitions; 14-10

sockets,

- as a type of fusion place; 12-8
- manually assigning ports to; A3-36
- port relationship to; A3-6
- relationship to ports; 14-5
- term definition; 12-8, A3-1

spacebar,

- adjusting arc appearance with; 14-22

specifying,

- colorsets; 6-10

specifying (cont'd),

- exact values for tokens; 7-4
- execution modes,
 - actual; 15-18
 - possible; 15-17
- initial marking; 6-10
- multisets; 5-8
- prime pages; 8-4, A2-13
- stop criteria; 15-19
- substitution transition location; A3-9
- time for a simulation; 16-7
- token values with CPN variables; 7-7
- transition decomposition,
 - methods for; 12-2

spread,

- See Also* aligning;
- horizontal,
 - aligning nodes along with Horizontal Spread command (Align menu); 14-16
- vertical,
 - aligning nodes along with Vertical Spread command (Align menu); 14-17

staff members,

- FirstModel,
 - characteristics; 13-2
- Sales Order Model,
 - characteristics; B1-2
 - simulation parameters; B1-5

starting,

- See Also* entering; quitting; stopping;
- Design/CPN; 2-4
- Sales Order Model with Enter Simulator (File menu); B2-3
- tutorial; 2-10

states,

- characteristics and term definition; 5-12
- CP net,
 - initializing with Initial State command (Sim menu); 8-13
- execution,
 - loading; 15-23
 - saving; 15-22
 - starting with a saved; 15-24
- initial,
 - FirstNet model, concurrent execution; 11-4
 - term definition; 5-12
- time in relation to; 16-3
- transitions as representation of; 11-3

static modeling paradigm,

- IDEF0,
 - characteristics; 3-2
 - term definition and characteristics; 3-1

-
- statistics,**
 - efficiency,
 - in Sales Order Model; B1-6
 - gathering and displaying,
 - in Sales Order Model; B1-5
 - revenue,
 - in Sales Order Model; B1-6
 - status bar,**
 - characteristics; 2-6
 - information displayed during syntax checking; 8-3
 - messages generating during switching; 8-7
 - steps,**
 - setting a limit,
 - as a stop criteria; 15-20
 - term definition; 11-14
 - Stop (Sim menu),**
 - canceling CP net execution with; 8-18
 - stop criteria,**
 - specifying; 15-19
 - stopping,**
 - tutorial; 2-10
 - string colorsets,**
 - characteristics and term definition; 5-6
 - structure,**
 - hierarchical CP nets; A3-2
 - modeling; 3-1
 - subdiagrams,**
 - loading; A2-12
 - saving; A2-12
 - submodels,**
 - subpages use as; 15-4
 - term definition; 12-1, A1-2, A3-1
 - subnet,**
 - term definition; A1-2
 - subpages,**
 - breaking the connection between the substitution transition and its; A3-35
 - building FirstModel on; 14-4
 - connecting superpages to; 12-8
 - creating; 12-3, A3-9
 - deleting; A3-25
 - FirstModel; 13-6
 - editing; 14-6
 - final appearance; 14-5
 - improving the appearance; A3-14
 - navigating to superpage from a,
 - by double-clicking on a port; A3-6
 - similarity to subroutines and macros; A3-34
 - structure of; 12-8
 - term definition; 12-2, A3-1
 - use as submodels; 15-4
 - using more than once; A3-26
 - subroutines,**
 - subpages compared to; A3-24
 - subsetting,**
 - multisets; 5-9
 - substep,**
 - term definition; 11-14
 - Substitution Transition (CPN menu),**
 - converting a transition to a substitution transition with; A3-28
 - creating substitution transitions with manual port assignments; A3-38
 - substitution transitions,**
 - (chapter); A3-1
 - breaking the connection to its subpage; A3-35
 - characteristics; A1-2
 - creating; A3-7
 - with Substitution Transition (CPN menu); A3-38
 - hierarchical decomposition with,
 - introduction (chapter); 12-1
 - hierarchy page changes; 12-11
 - improving the appearance of; 12-6
 - multiplicity and; A3-33
 - naming; 12-5, A3-10
 - reversing the creation of; A3-18
 - simulating with; A3-34
 - specifying the location of; 12-3, A3-9
 - substitution tag region,
 - term definition; 12-12
 - substitution transition creation mode,
 - term definition; 2-1, 12-3, A1-2, A3-1
 - subtracting,**
 - multisets; 5-9
 - superpages,**
 - connecting subpages to; 12-8
 - converting SalesNet into FirstModel; 14-2
 - FirstModel compared with SalesNet; 13-5
 - improving the appearance; A3-11
 - navigating to from a subpage,
 - by double-clicking on a port; A3-6
 - Resource User Model; A3-3
 - term definition; 12-2, A3-1
 - switching,**
 - among instances,
 - with the Instance Switch dialog; A3-35
 - status bar messages generated during; 8-8
 - term definition; 8-8
 - syntax,**
 - check,
 - performing; 8-2
 - errors,
 - deciphering ambiguous messages; 9-7
 - handling (chapter); 9-1

syntax (cont'd),

- errors (cont'd),
 - locating; 9-3
 - missing colorset; 9-2
 - undeclared CPN variables; 9-6
- guards; 7-8

Syntax Check (CPN menu),

- performing a syntax check with; 8-2

system default attributes,

- term definition and characteristics; 6-3

T

telephone number,

- Meta Software; 1-7

text,

- adding to,
 - a rectangle; 4-10
 - a rectangle, while creating it; 4-12
- editing; 4-21
- entering; 4-21
 - into a global declaration node; 6-15
- mode,
 - characteristics; 4-4
 - creating objects from; 4-17
 - term definition; 4-3
- pointers,
 - locating an error with; 9-4
 - term definition; 9-4
- regions,
 - copying; 14-26
 - pasting; 14-26
- text tool,
 - term definition; 4-4

Text menu,

- Enter Text Mode command,
 - adding text to rectangles with; 4-10
- Leave Text Mode command,
 - adding text to rectangles with; 4-10

time,

- See Also* concurrency;
- increasing the realism of simulation with; 16-19
- modeling; 3-1
- non-representation in FirstModel; 16-3
- output arc inscriptions; 16-8
- real,
 - term definition; 16-2
- regions,
 - term definition; 16-8
- representation methods in CP nets; 16-4

time (cont'd),

- Sales Order Model chart depicting elapsed,
 - examining; B3-3
- Sales Order Model chart depicting elapsed; B3-3
- simulated,
 - (chapter); 16-1
 - characteristics; 16-2
 - term definition; 16-2
 - uses for; 16-6
- specifying for a simulation; 16-7
- stamps,
 - assigning, FirstModel; 16-11
 - giving to a token; 16-7
 - initial markings and; 16-10
 - omitting; 16-9
 - term definition; 16-4
- state in relation to; 16-3
- timed,
 - colorsets, declaring; 16-7
 - colorsets, term definition; 16-4
 - CP nets, compiling; 16-14
 - CP nets, executing; 16-16
 - token, term definition; 16-4

tokens,

- See Also* multisets;
- characteristics and term definition; 5-7
- constraining,
 - with more complex guards; 7-10
 - with simple guards; 7-9
- term definition; 5-3
- timed,
 - delay expression syntax; 16-7
- values,
 - constraining; 7-8
 - specifying exact; 7-4
 - specifying multiple constant; 7-5
 - specifying multiple instances of the same constant; 7-5
 - specifying one constant value; 7-4
 - specifying variable; 7-7

top-down development,

- hierarchical CP nets; A3-21
- term definition; 12-2

transformation rules,

- as dynamic modeling paradigm component; 3-3

transformations,

- representing with transitions; 10-6

Transition (CPN menu),

- creating transitions with; 6-5

transitions,

- See Also* rectangles;
- as CP net activities; 3-3

transitions (cont'd),

- as state representation; 11-3
- characteristics and term definition; 5-13
- characteristics as CP net component; 5-1
- concurrent,
 - firing; 11-3
- creating,
 - for FirstModel subpage; 14-8
- creating; 6-5
- decomposition of,
 - designating; 12-3
 - methods for specifying; 12-2
- enabled,
 - putting on enabled list, for SalesNet model
 - execution with conflict; 11-15
 - setting their representation in an occurrence set; 15-13
- factors controlling,
 - enablement; 7-2
 - occurrence; 7-2
- naming,
 - for FirstModel; 14-10
- naming; 6-6
- occurrence of; 7-11
- representing activities with; 10-6
- shape-changing,
 - with Change Shape command (Makeup menu); A3-28
- substitution,
 - breaking the connection to its subpage; A3-35
 - creating with Substitution Transition (CPN menu); A3-7, A3-38
 - hierarchy page changes; 12-11
 - improving the appearance of; 12-6
 - naming; 12-5, A3-10
 - reversing the creation of; A3-18
 - simulating with; A3-34
 - specifying the location of; A3-9
 - term definition; 12-1
- time regions,
 - characteristics and syntax; 16-8
- transition feedback region,
 - term definition; 8-9

troubleshooting,

- common problem symptoms and solutions, (chapter); C1-1
- memory problems,
 - problem symptoms and solutions; C1-7
- ML,
 - configuration not specified, problem symptoms and solutions; C1-4

troubleshooting (cont'd),

- ML (cont'd),
 - interpreter cannot be started, problem symptoms and solutions; C1-7
- printer not specified,
 - problem symptoms and solutions; C1-3
- resetting the tutorial environment; 6-4
- settings file missing or obsolete,
 - problem symptoms and solutions; C1-1

tuples,

- colorsets,
 - characteristics and term definition; 13-4
- constructors,
 - characteristics; 13-8
 - example of use in FirstModel execution; 13-9
 - term definition; 13-9
- patterns,
 - characteristics; 13-12
 - term definition; 13-12
- term definition; 13-4
- value,
 - term definition; 13-4

tutorial,

- environment,
 - establishing; 6-3
- starting; 2-10
- stopping; 2-10

U**unbound,**

- term definition; 5-10, 7-7

updating,

- enabled list,
 - for SalesNet model execution with conflict; 11-20

user interface,

- design,
 - See* appearance;
- Design/CPN; 2-5

V, W, X, Y, Z**values,**

- exact,
 - specifying for tokens; 7-4
- tokens,
 - constraining; 7-8
- tuple,
 - term definition; 13-4

Design/CPN Tutorial

values (cont'd),

- variable,
 - specifying for tokens; 7-7

variables (CPN),

- characteristics and term definition; 5-10
- rebinding,
 - during SalesNet execution; 10-9
 - during transition firing; 7-12
- specifying token values with; 7-7

vertexes,

- term definition; 4-19

Vertical (Align menu),

- aligning nodes in a column with; 14-18

vertical spread,

- aligning nodes along,
 - with Vertical Spread command (Align menu);
14-17

Vertical Spread (Align menu),

- aligning nodes with; 14-17

