


Design/CPN Internal Functions Programmer's Reference

Version 2.0



Meta Software Corporation



125 CambridgePark Drive
Cambridge, MA 02140 U.S.A.
Tel: (617) 576-6920
Fax: (617) 661-2008

© 1993 Meta Software

© 1993 Meta Software Corporation

125 CambridgePark Drive

Cambridge, MA 02140

(617) 576-6920

FAX: (617) 661-2008

email: cpn-tech-support@metasoft.com

Design/CPN is a trademark of Meta Software Corporation.

Design/CPN Internal Functions Programmer's Reference

Version 2.0

Table of Contents

Part 1: Graphical Functions

Chapter 1

Symbolic Constants

Color Table Indices.....	1-2
Integer constants which index into the color table	
Connector Tip Constants.....	1-3
Constants to use for determining/setting connector orientations	
Miscellaneous Constants.....	1-4
Integer constants for use with a variety of functions	
Node and Connector Shapes.....	1-5
Symbolic integer constants for node shapes	
Node Types.....	1-6
The different types of nodes as integer constants	
Object Flags.....	1-7
Integer flags used to read and set properties of objects	
Object Types.....	1-8
The different types of objects as integer constants	
Print Options.....	1-9
Constants for use with printing commands	

Chapter 1 Symbolic Constants (cont'd)

Text Fonts.....	1-10
Integer constants for identifying various text fonts	
Text Justification.....	1-11
Integer constants for identifying the various text justifications	
Text Styles.....	1-12
Integer constants for identifying the various text styles	

Chapter 2 Functions for Accessing Graphical Structure

DSStr_AttachPageToNode.....	2-2
Attaches a subpage to a node and its environment.	
DSStr_ClosePage.....	2-3
Closes the given page, if it is open.	
DSStr_Coarsen.....	2-4
Performs a coarsening of the specified page.	
DSStr_ConnSubGraph.....	2-5
Calculates the set of nodes in a connected subgraph	
DSStr_CreateConn.....	2-6
Creates a new connector between the specified nodes.	
DSStr_CreateLabel.....	2-7
Creates a new label at position (x,y).	
DSStr_CreateLine.....	2-8
Creates a new line between points.	
DSStr_CreateNode.....	2-9
Creates a new node.	
DSStr_CreatePolygon.....	2-10
Creates a new polygon node.	
DSStr_DeleteObject.....	2-11
Deletes the designated object from the model structure	
DSStr_GetConnOtherEnd.....	2-12
Gets the other end of the specified connector.	

Chapter 2

Functions for Accessing Graphical Structure (cont'd)

DSStr_GetCurGroup.....2-13
 Gets the members of the current group.

DSStr_GetCurObject.....2-14
 Reads the ID of the currently selected object.

DSStr_GetCurPage.....2-15
 Reads the ID of the currently selected page.

DSStr_GetDocId.....2-16
 Gets the identification number of the current diagram.

DSStr_GetInternalConnList.....2-17
 Gets all the connectors between a set of specified nodes.

DSStr_GetNodeList.....2-18
 Returns a list of nodes in a specified page.

DSStr_GetObjectConnList.....2-19
 Determines the connectors that are attached to an object.

DSStr_GetObjectInOutLists.....2-20
 Determines the nodes that are input and output to it.

DSStr_GetObjectRegionList.....2-21
 Determines the IDs of regions in a parent.

DSStr_GetPageConnList.....2-22
 Determines the IDs of connectors in a page.

DSStr_GetPageList.....2-23
 Determines the IDs of pages in a document.

DSStr_GetParent.....2-24
 Identifies the parent ID of a page, node, connector or region.

DSStr_GetTopParent.....2-25
 Finds the node or connector parent of a region.

DSStr_IsPageOpen.....2-26
 Tests whether a page is open or closed.

DSStr_IsValidObject.....2-27
 Determines whether an object ID represents a valid object.

DSStr_MakeNodeIntoRgn.....2-28
 Changes designated object into a region of designated parent.

Chapter 2

Functions for Accessing Graphical Structure (cont'd)

DSStr_MakeRgnIntoNode.....	2-29
Calls kernel function to make a region into a node.	
DSStr_MoveNodesToPage.....	2-30
Moves a set of nodes to a new page.	
DSStr_NewPage.....	2-31
Creates a new page in the document.	
DSStr_NewPageWithFlags.....	2-32
Creates a new page in the document.	
DSStr_PortNodesOnPage.....	2-33
Returns a list of port nodes on a given page.	
DSStr_SetCurGroup.....	2-34
Sets the current group, turning group mode if necessary	
DSStr_SetCurObject.....	2-35
Changes the current object.	
DSStr_SetCurPage.....	2-36
Sets the current page.	
DSStr_SetDiagModified.....	2-37
Sets the kernel Modified to TRUE or FALSE.	

Chapter 3

Functions for Reading Attributes

DSFile_GetCurrentDiagName.....	3-2
Gets the current diagram name.	
DSFile_NameDialog.....	3-3
Puts up a file selection dialog to obtain a filename from the user.	
DSRdAttr_ArrowHeadType.....	3-4
Returns the connector head type	
DSRdAttr_ConnOrient.....	3-5
Reads the orientation information for a connector.	
DSRdAttr_ConnPoints.....	3-6
Reads the points of a connector of type STRAIGHTCONN.	

Chapter 3
Functions for Reading Attributes (cont'd)

DSRdAttr_ConnProps.....3-7
 Reads attributes for a connector, or the global attributes.

DSRdAttr_GetConnEnds.....3-8
 Reads the two node names for a connector.

DSRdAttr_GetMaxGroupSize.....3-9
 Returns the maximum allowable size for an aggregate.

DSRdAttr_GetObjectCenter.....3-10
 Finds the current center coordinates of a page, node, or region.

DSRdAttr_GetObjectFlags.....3-11
 Allows the user to read various object flags.

DSRdAttr_GetObjectSize.....3-12
 Finds the current width and height of a page, node, or region.

DSRdAttr_GetObjectSubpage.....3-13
 Gets the subpage ID if the object is a coarse object.

DSRdAttr_GetObjectType.....3-14
 Reads the object type information associated with an object's ID.

DSRdAttr_GetOwnedValue.....3-15
 Reads the node's owned information.

DSRdAttr_GetPageAttr.....3-16
 Gets page (field) attributes.

DSRdAttr_GetParentNode.....3-17
 Reads the parent information associated with a page.

DSRdAttr_GetRegionId.....3-18
 Reads the region identifier associated with a region.

DSRdAttr_GetRepObject.....3-19
 Reads the representative node or connector information.

DSRdAttr_GetShape.....3-20
 Reads the shape information associated with a structure block.

DSRdAttr_GetTextDefaults.....3-21
 Allows user to read default text attributes.

DSRdAttr_GetType.....3-22
 Reads the node type information associated with a node.

Chapter 3

Functions for Reading Attributes (cont'd)

DSRdAttr_InGroupMode.....	3-23
Reads the global variable for Group Mode.	
DSRdAttr_NetElementType.....	3-24
Reads or computes node type information.	
DSRdAttr_ObjectVisuals.....	3-25
Reads the attributes of an object that affect its appearance.	
DSRdAttr_PageScale.....	3-26
Reads the horizontal and vertical scale of a page.	
DSRdAttr_PolyDefaults.....	3-27
Allows the user to read the attributes of regular polygons.	
DSRdAttr_PolyPointCount.....	3-28
Reads the number of points in a POLYGON or REGPOLY.	
DSRdAttr_PolyPoints.....	3-29
Reads the points of a POLYGON or REGPOLY.	
DSRdAttr_SegmentCurvature.....	3-30
Returns the segment vertex curvature value for a connector.	
DSRdAttr_SelectableFlag.....	3-31
Reads the current value of the Global Selectable flag.	
DSRdAttr_TextPointSize.....	3-32
This function reads the text point size of an object.	

Chapter 4

Functions for Writing Attributes

DSWtAttr_AdjustObjectSize.....	4-2
Changes the width and height of a page, node or region.	
DSWtAttr_ConnCurvature.....	4-3
Writes the curvature value for the given connector.	
DSWtAttr_ConnEndIds.....	4-4
Changes the connector ends information for a connector.	
DSWtAttr_ConnOrient.....	4-5
Changes the orientation info for a connector, or the default	

Chapter 4

Functions for Writing Attributes (cont'd)

DSWtAttr_ConnVisuals.....4-6
Writes attributes for a given connector, or the global attributes.

DSWtAttr_LineThickness.....4-7
Allows the user to control thickness of lines.

DSWtAttr_LineType.....4-8
Allows the user to control line type of an object boundary.

DSWtAttr_ObjectFillType.....4-9
Allows the user to control fill type of an object or arrowhead.

DSWtAttr_ObjectFlags.....4-10
Allows the user to write various object flags.

DSWtAttr_ObjectPosition.....4-12
Moves the designated node or region to coordinate position (x,y).

DSWtAttr_ObjectVisuals.....4-13
Sets the attributes of an object that affect its appearance.

DSWtAttr_PageInfo.....4-15
Changes page attributes.

DSWtAttr_RegionId.....4-16
Writes a user-designated region type for a region.

DSWtAttr_RegularPolyInfo.....4-17
Allows the user to write the attributes of regular polygons.

DSWtAttr_RepNodeId.....4-18
Writes the represented node or represented connector.

DSWtAttr_SetConnPoints.....4-19
Writes the points of a connector of type STRAIGHTCONN.

DSWtAttr_SetDefaultSelectable.....4-20
Writes the current value of the global Selectable flag.

DSWtAttr_SetPetriNodeType.....4-21
Writes the Petri node type information associated with a node.

DSWtAttr_SetPolyPoints.....4-22
Writes the points of a POLYGON or REGPOLY.

Chapter 5
Text Functions

DSText_Append.....5-2
Adds.appends text to an object.

DSText_Get.....5-3
Reads text from the Text Edit record associated with an object ID.

DSText_GetLength.....5-4
Determines length of text associated with an object ID.

DSText_GetTextParent.....5-5
Returns the text parent of a node, connector, or region.

DSText_IsModeOn.....5-6
Reads the current text state.

DSText_MaxLineLength.....5-7
Returns the width of the longest line of text of a text record.

DSText_Put.....5-8
Writes the supplied text into a Text record.

DSText_SetAttr.....5-9
Allows user to write text attributes for a given object.

DSText_SetDefaultFont.....5-10
Changes the default font.

DSText_SetDefaultJust.....5-11
Changes the default text justification.

DSText_SetDefaultSize.....5-12
Changes the default point size.

DSText_SetDefaultStyle.....5-13
Changes the default text style.

DSText_SetMode.....5-14
Writes the current text state.

Chapter 6
User Interface Functions

DSUI_Align.....6-2
Aligns an object with respect to other objects.

Chapter 6 (cont'd)
User Interface Functions

DSUI_AskUserToSelectPage.....6-3
 Prompts user to select a page.

DSUI_AutoPan.....6-4
 Pans the current page to make the specified object visible.

DSUI_BeepUser.....6-5
 Makes the machine BEEP.

DSUI_ChangeCursor.....6-6
 Changes the appearance of the cursor.

DSUI_CheckBounds.....6-7
 Checks the user's desired value of a dialog item.

DSUI_Cleanup.....6-8
 Cleans up the graphical structure of specified page.

DSUI_Duplicate.....6-9
 Duplicates a given set of nodes on a given page.

DSUI_GetIntegerValue.....6-10
 To prompt the user for an integer value.

DSUI_GetString.....6-11
 To prompt the user for a string.

DSUI_GetUserYesOrNo.....6-12
 To prompt the user to make a two-way decision.

DSUI_Indicate.....6-13
 Indicates a group of nodes and/or regions on the screen.

DSUI_IndicateObject.....6-14
 Draws the dot handles for the specified object.

DSUI_MakePageVisible.....6-15
 Makes a page visible if is not currently visible.

DSUI_Merge.....6-16
 Merges a group of nodes into a target node.

DSUI_NoUndo.....6-17
 To prevent Undo operations.

DSUI_PreventObjectAdjust.....6-18
 To prevent user from performing size adjustments on all objects.

Chapter 6 (cont'd)
User Interface Functions

DSUI_Redraw.....6-19
Redraws the specified object.

DSUI_RestoreStatusBar.....6-20
Clears any message in the status bar.

DSUI_SelectObject.....6-21
Prompts the user to select an object.

DSUI_SetObjectIndication.....6-22
To enable/disable the indicate dot feature for all objects.

DSUI_SetRepConnDeleteMode.....6-23
Sets the treatment of represented connector deletion.

DSUI_SetStatusBarMessage.....6-24
Puts a message in the status bar.

DSUI_Spread.....6-25
Spreads a grouping of three or more nodes.

DSUI_UpdateCurrentPage.....6-26
Redraws the current page on the screen.

DSUI_UserAckMessage.....6-27
Displays user supplied message as a modal dialog.

Chapter 7
Utility Functions

DSUtil_DrawArc.....7-2
Calculates and draws a circular curve.

DSUtil_GetConnClipPoint.....7-3
Gets a clip point and puts it directly into the points vector.

DSUtil_IsALabel.....7-4
Tells whether an object is a label.

DSUtil_LineToInCoords.....7-5
Draws a line from the current pen position to a given point.

DSUtil_Pause.....7-6
Pauses the specified number of time units.

Chapter 7 (cont'd)
Utility Functions

DSUtil_PointInObject.....	7-7
Determines if the given point is inside a given object type.	
DSUtil_PointsToWorld.....	7-8
Converts from points (72 to the inch) to model units.	
DSUtil_PrintPages.....	7-9
Prints any set of pages with or without using the print dialog.	
DSUtil_WorldToPoints.....	7-11
Converts from model coordinates to points (72 to the inch).	

Part 2: Diagram Functions

Chapter 8

Converting Auxiliary Objects to CPN Objects

MakeCpnPage.....	8-2
Converts a newly created Design page into a CPN page.	
MakeGlobDec.....	8-3
Converts an auxiliary node into a CPN global declaration.	
MakeTempDec.....	8-4
Converts an auxiliary node into a CPN temporary declaration.	
MakeLocDec.....	8-5
Converts an auxiliary node into a CPN local declaration.	
MakePlace.....	8-6
Converts an auxiliary node into a CPN place.	
MakeTrans.....	8-7
Converts an auxiliary node into a CPN transition.	
MakeArc.....	8-8
Converts an existing connector into a CPN arc.	
MakeName.....	8-9
Converts an auxiliary node into a CPN name region.	
MakeColor.....	8-10
Converts an auxiliary node into a CPN color set region.	
MakeInitMark.....	8-11
Converts an auxiliary node into a CPN initial marking region.	
MakeGuard.....	8-12
Converts an auxiliary node into a CPN guard region.	
MakeCodeSeg.....	8-13
Converts an auxiliary node into a CPN code segment region.	
MakeTime.....	8-14
Converts an auxiliary node into a CPN time region.	
MakePrimePage.....	8-15
Flags a CPN page node as a prime page.	
MakeArcExp.....	8-16
Converts an auxiliary node into a CPN arc expression region.	

Chapter 9
Creating CPN Hierarchies

MakeInPort.....9-2
 Converts a CPN place into a CPN input port node.

MakeOutPort.....9-3
 Converts a CPN place into a CPN output port node.

MakeInOutPort.....9-4
 Converts a CPN place into a CPN input/output port.

MakeGenPort.....9-5
 Converts a CPN place into a CPN general port.

MakeTransSub.....9-6
 Converts a CPN transition into a CPN substitution transition.

AssignPort.....9-7
 Assigns a CPN port node to a CPN socket node.

MakeGlobalPlaceFus.....9-8
 Creates a CPN global fusion set and adds a CPN place to it.

MakePagePlaceFus.....9-9
 Creates a CPN page fusion set and adds a CPN place to it.

MakeInstPlaceFus.....9-10
 Creates a CPN instance fusion set and adds a CPN place to it.

AddToGlobalPlaceFus.....9-11
 Adds a CPN place to a CPN global fusion set.

AddToPagePlaceFus.....9-12
 Adds a CPN place to a CPN page or instance fusion set.

AddToGlobalTransFus.....9-13
 Adds a CPN transition to a CPN global fusion set.

AddToPageTransFus.....9-14
 Adds a CPN transition to a CPN page or instance fusion set.

Chapter 10
Accessing CPN Diagram Structure

IsGlobalPlaceFus.....10-2
 Verifies if a string is used as a global fusion set name.

Chapter 10 (cont'd)
Accessing CPN Diagram Structure

- IsPagePlaceFus.....10-3
Verifies if a string is used as a page or instance fusion set name.

- IsPort.....10-4
Verifies if a CPN place or transition is a CPN port node.

- GetPageName.....10-5
Gets the text of the name of a CPN page.

- GetNameText.....10-6
Gets the text of the name region of a CPN place or transition.

- GetName.....10-7
Gets the ID of the CPN name region of a CPN place or transition.

- GetColor.....10-8
Gets the ID of the CPN color set region of a CPN place.

- GetInitMark.....10-9
Gets the ID of the CPN initial marking region of a CPN place.

- GetGuard.....10-10
Gets the ID of the CPN guard region of a CPN transition.

- GetTime.....10-11
Gets the ID of the CPN time region of a CPN transition.

- GetCodeSeg.....10-12
Gets the ID of the code segment region of a node.

- GetArcExp.....10-13
Gets the ID of the CPN arc expression region of a CPN arc.

- GetPort.....10-14
Gets the ID of the CPN port region of a CPN place or transition.

- GetFusion.....10-15
Gets the ID of the CPN fusion set region of a place.

- GetCpnInfo.....10-16
Gets information on CPN objects.

Chapter 11
Obtaining CPN Simulation Information

IsPageIncluded.....11-2
 Verifies if a CPN page is included in the current simulation.

IsPageProposed.....11-3
 Verifies if a page participates in occurrence set calculation.

IsPageObserv.....11-4
 Verifies if a CPN page is observable in the current simulation.

IsPageCode.....11-5
 Verifies if the transitions of a page execute with code segments.

IsPageAuto.....11-6
 Verifies if a CPN page participates in an automatic run.

GetPageModeAttr.....11-7
 Gets the simulation mode attributes for a CPN page.

IsSubTransIncluded.....11-8
 Verifies if a subpage is included in the current simulation.

IsSubTransProposed.....11-9
 Verifies if a subpage participates in occurrence set calculation.

IsSubTransObserv.....11-10
 Verifies if the subpage of a substitution transition is observable.

IsSubTransCode.....11-11
 Verifies if transitions of a subpage execute with code segments.

IsSubTransAuto.....11-12
 Verifies if a subpage participates in an automatic run.

GetSubTransModeAttr.....11-13
 Gets the simulation mode attributes for a subpage.

IsPagePrime.....11-14
 Verifies if a CPN page is a prime page.

GetPageMult.....11-15
 Gets the multiplicity of a CPN page.

GetPageInsts.....11-16
 Gets the IDs of CPN page instances.

GetPageInstName.....11-17
 Gets the name of a CPN page instance.

Chapter 11 (cont'd)

Obtaining CPN Simulation Information

GetPageInstComp.....	11-18
Gets the ID of a CPN page instance compound node.	
GetMarkingCode.....	11-19
Gets the ML code for accessing the marking of a CPN place.	
GetChangeMarkingCode.....	11-20
Gets the ML code for changing the marking of a CPN place.	

Part 3: Reporting Functions

Chapter 12

Statistical Variable Functions

SV'avrg.....	12-2
Returns the average value of a statistical variable.	
SV'count.....	12-3
Returns the number of times SV'upd has been called	
SV'createint.....	12-5
Creates an integer statistical variable.	
SV'first.....	12-6
Returns the first value of a statistical variable.	
SV'init.....	12-7
Initializes a statistical variable.	
SV'max.....	12-8
Returns the max of the values of a statistical variable.	
SV'min.....	12-9
Returns the min of the values of a statistical variable.	
SV'ss.....	12-10
Returns the sum of squares of the values of a statistical variable.	
SV'ssd.....	12-11
Returns the sum of squares of deviation of a statistical variable.	
SV'std.....	12-12
Returns the standard deviation of a statistical variable.	
SV'sum.....	12-13
Returns the sum of the values of a statistical variable.	
SV'upd.....	12-14
Updates a statistical variable.	
SV'value.....	12-15
Returns the current value of a statistical variable.	
SV'vari.....	12-16
Returns the variance of a statistical variable.	

Chapter 13
Overview of Chart Functions

Table of Chart Functions.....13-1

Chapter 14
Bar Chart Functions

BC_create.....14-3
Creates a bar chart.

BC_clear_chart.....14-9
Clears a bar chart.

BC_delete.....14-10
Deletes a bar chart.

BC_GetCodeSeg.....14-11
Gets the ID of the CPN code segment region of a bar chart.

BC_init_chart.....14-12
Initializes a bar chart.

BC_upd_partnames.....14-13
Updates the partnames in a bar chart.

BC_upd_title.....14-14
Updates the title of a bar chart.

HC_upd_bar.....14-15
Updates the current bar of a history bar chart.

HC_upd_barnames.....14-16
Updates the barnames in a history bar chart.

HC_upd_chart.....14-17
Updates bars in a history bar chart.

SC_upd_bar.....14-18
Updates a bar of a snapshot bar chart.

SC_upd_barnames.....14-19
Updates the barnames in a snapshot bar chart.

SC_upd_chart.....14-20
Updates bars in a snapshot bar chart.

SC_upd_part.....14-21
Updates a part for the bars of a snapshot bar chart.

Chapter 15
Line Chart Functions

LC_create.....	15-3
Creates a line chart.	
LC_delete.....	15-8
Deletes a line chart.	
LC_GetCodeSeg.....	15-9
Gets the ID of the CPN code segment region of a line chart.	
LC_init_chart.....	15-10
Initializes a line chart.	
LC_upd_axisnames.....	15-11
Updates the axis names in a line chart.	
LC_upd_chart.....	15-12
Updates lines in a line chart.	
LC_upd_line.....	15-13
Updates a line of a line chart.	
LC_upd_linenames.....	15-14
Updates the line names in a line chart.	
LC_upd_pline.....	15-15
Updates the fill pattern for a line terminator in a line chart.	
LC_upd_title.....	15-16
Updates the title of a line chart.	

Appendix A: Version 1.9 Chart Functions

Chapter A1

Overview of Version 1.9 Chart Functions

- Contents of Appendix A.....A1-1
- Obsolescence of Version 1.9 Chart Functions.....A1-1
- Table of Version 1.9 Chart Functions.....A1-1
- Creating a Chart Page.....A1-2
- Positioning a Chart on a Page.....A1-2

Chapter A2

Version 1.9 Bar Chart Functions

- BC'create.....A2-2
Creates a bar chart.

- BC'decint.....A2-6
Declares an integer bar chart.

- BC'delete.....A2-7
Deletes an integer bar chart.

- BC'upd_col.....A2-8
Updates columns in an integer bar chart.

- BC'upd_ltag.....A2-10
Updates legend labels on an integer bar chart.

- BC'upd_row.....A2-11
Updates rows in an integer bar chart.

- BC'upd_rtag.....A2-13
Updates row labels on an integer bar chart.

Chapter A3

Version 1.9 History Chart Functions

- HC'create.....A3-2
Creates a history bar chart.

- HC'decint.....A3-6
Declares an integer history bar chart.

- HC'delete.....A3-7
Deletes an integer history bar chart.

Chapter A3 (cont'd)

Version 1.9 History Chart Functions

HC'hist_ltag.....A3-8
 Updates column legend labels on an integer history bar chart.

HC'hist_init.....A3-9
 Initializes columns in an integer history bar chart.

HC'hist_row.....A3-11
 Creates a new row in an integer history bar chart.

HC'hist_rtag.....A3-13
 Updates row labels on an integer history bar chart.

Chapter A4

Version 1.9 Line Graph Functions

LG'create.....A4-2
 Creates a line graph.

LG'decint.....A4-6
 Declares an integer line graph.

LG'delete.....A4-7
 Deletes an integer line graph.

LG'upd_atag.....A4-8
 Updates axis labels for an integer line graph.

LG'upd_ltag.....A4-9
 Updates legend labels on an integer line graph.

LG'upd_line.....A4-10
 Updates an integer line graph.

LG'upd_pline.....A4-12
 Updates the pattern of an integer line graph.

Chapter A5

Version 1.9 Matrix Chart Functions

MC'create.....A5-2
 Creates a matrix chart.

MC'dec.....A5-5
 Declares an integer matrix chart.

Chapter A5 (cont'd)
Version 1.9 Matrix Chart Functions

MC'create.....A5-2
Creates a matrix chart.

MC'dec.....A5-5
Declares an integer matrix chart.

MC'delete.....A5-6
Deletes an integer matrix chart.

MC'fill.....A5-7
Updates the fill pattern in an integer matrix chart.

MC'upd_itag.....A5-9
Updates pattern legend labels on an integer matrix chart.

MC'write.....A5-10
Updates cell values in an integer matrix chart.