


# Approximate k-edit-distance

Approximative ( $k$ -distance) matching, now for edit distance

Given string  $\mathbf{x}$ =*abbacbbbabacabbba* and pattern  $\mathbf{p}$ =*bbba* find all “almost”-occurrences of  $\mathbf{p}$  in  $\mathbf{x}$



# Edit distance

The *edit-distance* between strings **x** and **y** is the minimal number of

- insertions
- deletions
- substitutions

needed to translate **x** into **y**

$d(abab, acc) = 3$ :  $abab \rightarrow aba \rightarrow aca \rightarrow acc$

$d(abab, aac) = 2$ :  $abab \rightarrow aab \rightarrow aac$

# Calculating the edit-distance

Basis cases:

- string vs empty string:

$$d(\mathbf{x}, "") = d("", \mathbf{x}) = |\mathbf{x}|$$

- two single characters:

$$d(a, b) = \begin{cases} 1 & \text{if } a \neq b \\ 0 & \text{if } a = b \end{cases}$$




# Calculating the edit-distance

Recursion:

- two non-empty strings:

$$d(\mathbf{x}[1..i], \mathbf{y}[1..j]) =$$

$$\min \begin{cases} d(\mathbf{x}[1..i-1], \mathbf{y}[1..j]) + 1 \\ d(\mathbf{x}[1..i], \mathbf{y}[1..j-1]) + 1 \\ d(\mathbf{x}[1..i-1], \mathbf{y}[1..j-1]) + d(\mathbf{x}[i], \mathbf{y}[j]) \end{cases}$$



# Dynamic programming algorithm

Use table  $c[i,j] = d(\mathbf{x}[1..i], \mathbf{y}[1..j])$

Initialize:

$c[0,0] = 0$

**for**  $i=1..|\mathbf{x}|$ :  $c[i,0] = i$


**for**  $j=1..|\mathbf{p}|$ :  $c[0,j] = j$

Main algorithm:

**for**  $i=1..|\mathbf{x}|$ :

**for**  $j=1..|\mathbf{p}|$ :

$$c[i,j] = \min \begin{cases} c[i-1,j] + 1 \\ c[i,j-1] + 1 \\ c[i-1,j-1] + d(\mathbf{x}[i], \mathbf{y}[j]) \end{cases}$$





# Example

```
c[0,0] = 0
```

```
for i=1..|x|: c[i,0] = i
```


```
for j=1..|p|: c[0,j] = j
```

```
for i=1..|x|:
```

```
  for j=1..|p|:
```

$$c[i,j] = \min \begin{cases} c[i-1,j] + 1 \\ c[i,j-1] + 1 \\ c[i-1,j-1] + d(x[i],y[j]) \end{cases}$$

	a	b	a	a	c	b	c	c
0	1	2	3	4	5	6	7	8
a	1	<u>0</u>						
b	2							
a	3							
b	4							
c	5							
a	6							



# Example

```
c[0,0] = 0
```

```
for i=1..|x|: c[i,0] = i
```


```
for j=1..|p|: c[0,j] = j
```

```
for i=1..|x|:
```

```
  for j=1..|p|:
```

$$c[i,j] = \min \begin{cases} c[i-1,j] + 1 \\ c[i,j-1] + 1 \\ c[i-1,j-1] + d(x[i],y[j]) \end{cases}$$

	a	b	a	a	c	b	c	c
0	1	2	3	4	5	6	7	8
a	1	0	<u>1</u>					
b	2							
a	3							
b	4							
c	5							
a	6							



# Example

```
c[0,0] = 0
```

```
for i=1..|x|: c[i,0] = i
```


```
for j=1..|p|: c[0,j] = j
```

```
for i=1..|x|:
```

```
  for j=1..|p|:
```

$$c[i,j] = \min \begin{cases} c[i-1,j] + 1 \\ c[i,j-1] + 1 \\ c[i-1,j-1] + d(x[i],y[j]) \end{cases}$$

	a	b	a	a	c	b	c	c
0	1	2	3	4	5	6	7	8
a	1	0	1	<u>2</u>				
b	2							
a	3							
b	4							
c	5							
a	6							



# Example

```
c[0,0] = 0
```

```
for i=1..|x|: c[i,0] = i
```


```
for j=1..|p|: c[0,j] = j
```

```
for i=1..|x|:
```

```
  for j=1..|p|:
```

$$c[i,j] = \min \begin{cases} c[i-1,j] + 1 \\ c[i,j-1] + 1 \\ c[i-1,j-1] + d(x[i],y[j]) \end{cases}$$

	a	b	a	a	c	b	c	c	
	0	1	2	3	4	5	6	7	8
a	1	0	1	2	<u>3</u>				
b	2								
a	3								
b	4								
c	5								
a	6								



# Example

```
c[0,0] = 0
```

```
for i=1..|x|: c[i,0] = i
```


```
for j=1..|p|: c[0,j] = j
```

```
for i=1..|x|:
```

```
  for j=1..|p|:
```

$$c[i,j] = \min \begin{cases} c[i-1,j] + 1 \\ c[i,j-1] + 1 \\ c[i-1,j-1] + d(x[i],y[j]) \end{cases}$$

	a	b	a	a	c	b	c	c	
	0	1	2	3	4	5	6	7	8
a	1	0	1	2	3	<u>4</u>			
b	2								
a	3								
b	4								
c	5								
a	6								



# Example

```
c[0,0] = 0
```

```
for i=1..|x|: c[i,0] = i
```


```
for j=1..|p|: c[0,j] = j
```

```
for i=1..|x|:
```

```
  for j=1..|p|:
```

$$c[i,j] = \min \begin{cases} c[i-1,j] + 1 \\ c[i,j-1] + 1 \\ c[i-1,j-1] + d(x[i],y[j]) \end{cases}$$

		a	b	a	a	c	b	c	c
	0	1	2	3	4	5	6	7	8
a	1	0	1	2	3	4	<u>5</u>		
b	2								
a	3								
b	4								
c	5								
a	6								



# Example

```
c[0,0] = 0
```

```
for i=1..|x|: c[i,0] = i
```


```
for j=1..|p|: c[0,j] = j
```

```
for i=1..|x|:
```

```
  for j=1..|p|:
```

$$c[i,j] = \min \begin{cases} c[i-1,j] + 1 \\ c[i,j-1] + 1 \\ c[i-1,j-1] + d(x[i],y[j]) \end{cases}$$

	a	b	a	a	c	b	c	c
0	1	2	3	4	5	6	7	8
a	1	0	1	2	3	4	5	<u>6</u>
b	2							
a	3							
b	4							
c	5							
a	6							



# Example

```
c[0,0] = 0
```

```
for i=1..|x|: c[i,0] = i
```


```
for j=1..|p|: c[0,j] = j
```

```
for i=1..|x|:
```

```
  for j=1..|p|:
```

$$c[i,j] = \min \begin{cases} c[i-1,j] + 1 \\ c[i,j-1] + 1 \\ c[i-1,j-1] + d(x[i],y[j]) \end{cases}$$

	a	b	a	a	c	b	c	c	
	0	1	2	3	4	5	6	7	8
a	1	0	1	2	3	4	5	6	<u>7</u>
b	2								
a	3								
b	4								
c	5								
a	6								



# Example

```
c[0,0] = 0
```

```
for i=1..|x|: c[i,0] = i
```


```
for j=1..|p|: c[0,j] = j
```

```
for i=1..|x|:
```

```
  for j=1..|p|:
```

$$c[i,j] = \min \begin{cases} c[i-1,j] + 1 \\ c[i,j-1] + 1 \\ c[i-1,j-1] + d(x[i],y[j]) \end{cases}$$

	a	b	a	a	c	b	c	c	
0	1	2	3	4	5	6	7	8	
a	1	0	1	2	3	4	5	6	7
b	2	<u>1</u>							
a	3								
b	4								
c	5								
a	6								



# Example

```
c[0,0] = 0
```

```
for i=1..|x|: c[i,0] = i
```


```
for j=1..|p|: c[0,j] = j
```

```
for i=1..|x|:
```

```
  for j=1..|p|:
```

$$c[i,j] = \min \begin{cases} c[i-1,j] + 1 \\ c[i,j-1] + 1 \\ c[i-1,j-1] + d(x[i],y[j]) \end{cases}$$

		a	b	a	a	c	b	c	c
	0	1	2	3	4	5	6	7	8
a	1	0	1	2	3	4	5	6	7
b	2	1	<u>0</u>						
a	3								
b	4								
c	5								
a	6								



# Example

```
c[0,0] = 0
```

```
for i=1..|x|: c[i,0] = i
```


```
for j=1..|p|: c[0,j] = j
```

```
for i=1..|x|:
```

```
  for j=1..|p|:
```

$$c[i,j] = \min \begin{cases} c[i-1,j] + 1 \\ c[i,j-1] + 1 \\ c[i-1,j-1] + d(x[i],y[j]) \end{cases}$$

	a	b	a	a	c	b	c	c	
0	1	2	3	4	5	6	7	8	
a	1	0	1	2	3	4	5	6	7
b	2	1	0	<u>1</u>					
a	3								
b	4								
c	5								
a	6								



# Example

```
c[0,0] = 0
```

```
for i=1..|x|: c[i,0] = i
```


```
for j=1..|p|: c[0,j] = j
```

```
for i=1..|x|:
```

```
  for j=1..|p|:
```

$$c[i,j] = \min \begin{cases} c[i-1,j] + 1 \\ c[i,j-1] + 1 \\ c[i-1,j-1] + d(x[i],y[j]) \end{cases}$$

		a	b	a	a	c	b	c	c
	0	1	2	3	4	5	6	7	8
a	1	0	1	2	3	4	5	6	7
b	2	1	0	1	<u>2</u>				
a	3								
b	4								
c	5								
a	6								



# Example

```
c[0,0] = 0
```

```
for i=1..|x|: c[i,0] = i
```


```
for j=1..|p|: c[0,j] = j
```

```
for i=1..|x|:
```

```
  for j=1..|p|:
```

$$c[i,j] = \min \begin{cases} c[i-1,j] + 1 \\ c[i,j-1] + 1 \\ c[i-1,j-1] + d(x[i],y[j]) \end{cases}$$

		a	b	a	a	c	b	c	c
	0	1	2	3	4	5	6	7	8
a	1	0	1	2	3	4	5	6	7
b	2	1	0	1	2	<u>3</u>			
a	3								
b	4								
c	5								
a	6								



# Example

```
c[0,0] = 0
```

```
for i=1..|x|: c[i,0] = i
```


```
for j=1..|p|: c[0,j] = j
```

```
for i=1..|x|:
```

```
  for j=1..|p|:
```

$$c[i,j] = \min \begin{cases} c[i-1,j] + 1 \\ c[i,j-1] + 1 \\ c[i-1,j-1] + d(x[i],y[j]) \end{cases}$$

	a	b	a	a	c	b	c	c	
	0	1	2	3	4	5	6	7	8
a	1	0	1	2	3	4	5	6	7
b	2	1	0	1	2	3	<u>4</u>		
a	3								
b	4								
c	5								
a	6								



# Example

```
c[0,0] = 0
```

```
for i=1..|x|: c[i,0] = i
```


```
for j=1..|p|: c[0,j] = j
```

```
for i=1..|x|:
```

```
  for j=1..|p|:
```

$$c[i,j] = \min \begin{cases} c[i-1,j] + 1 \\ c[i,j-1] + 1 \\ c[i-1,j-1] + d(x[i],y[j]) \end{cases}$$

	a	b	a	a	c	b	c	c	
	0	1	2	3	4	5	6	7	8
a	1	0	1	2	3	4	5	6	7
b	2	1	0	1	2	3	4	<u>5</u>	6
a	3								
b	4								
c	5								
a	6								



# Example

```
c[0,0] = 0
```

```
for i=1..|x|: c[i,0] = i
```

```
for j=1..|p|: c[0,j] = j
```

```
for i=1..|x|:
```

```
  for j=1..|p|:
```

$$c[i,j] = \min \begin{cases} c[i-1,j] + 1 \\ c[i,j-1] + 1 \\ c[i-1,j-1] + d(x[i],y[j]) \end{cases}$$

		a	b	a	a	c	b	c	c
	0	1	2	3	4	5	6	7	8
a	1	0	1	2	3	4	5	6	7
b	2	1	0	1	2	3	4	5	6
a	3	2	1	0	1	2	3	4	5
b	4	3	2	1	1	2	2	3	4
c	5	4	3	2	2	1	2	2	3
a	6	5	4	3	2	2	2	3	3

# Dynamic programming algorithm


After filling out  $c$ ,  $d(\mathbf{x}, \mathbf{y}) = c[|\mathbf{x}|, |\mathbf{y}|]$

Time and space complexity:  $O(|\mathbf{x}||\mathbf{y}|)$

# Approximate pattern matching


Edit distance

$$c[i,j] = d(\mathbf{x}[1..i], \mathbf{y}[1..j])$$



Edit distance  
pattern matching

$$c[i,j] = \min_{i' \leq i} d(\mathbf{x}[i'..i], \mathbf{y}[1..j])$$



# Approximate pattern matching

Use table  $c[i,j] = \min_{i' \leq i} d(\mathbf{x}[1..i], \mathbf{y}[1..j])$

Initialize:

$c[0,0] = 0$

**for**  $i=1..|\mathbf{x}|$ :  $c[i,0] = \underline{0}$

**for**  $j=1..|\mathbf{p}|$ :  $c[0,j] = j$

Makes it free to start  
at **any** index  $i'$

Main algorithm:

**for**  $i=1..|\mathbf{x}|$ :

**for**  $j=1..|\mathbf{p}|$ :

$$c[i,j] = \min \begin{cases} c[i-1,j] + 1 \\ c[i,j-1] + 1 \\ c[i-1,j-1] + d(\mathbf{x}[i], \mathbf{y}[j]) \end{cases}$$

# Approximate pattern matching

After filling out, in time and space  $O(|\mathbf{x}||\mathbf{p}|)$  all indices  $i$ , where  $c[i,|\mathbf{p}|] \leq k$ , correspond to one or more approximate matches.


Some backtracking is needed to find the corresponding  $i'$  indices ... we can find one  $i'$  for each  $i$  in time  $O(|\mathbf{p}|)$  per  $i$ , for a total time of  $O(|\mathbf{x}||\mathbf{p}|)$ .  
(Theorem 10.1.1)

(More complicated to get all matches...)

# Wu-Manber

We define a *matrix*  $\mathbf{s}$  – the state of matching so far – by:

$\mathbf{s}[q,j] = 0$  iff  $d(\mathbf{x}[i-j+1 .. i], \mathbf{p}[1..j]) \leq q$   
for  $j=0..|\mathbf{p}|$ , and  $q=0..k$



# Wu-Manber

As before, we use a pre-calculated bit-matrix:

$$\mathbf{t}[h, j] = \begin{cases} 0 & \text{if } \mathbf{p}[j] == h \\ 1 & \text{if } \mathbf{p}[j] != h \end{cases}$$

with rows indexed by the alphabet and  
columns indexed by indices in  $\mathbf{p}$

# Wu-Manber

The recursion:

$$c[i, j] = \min \begin{cases} c[i-1, j] + 1 \\ c[i, j-1] + 1 \\ c[i-1, j-1] + d(x[i], y[j]) \end{cases}$$

becomes:

$$s^i[q, j] = \& \begin{cases} s^{i-1}[q-1, j] \\ s^i[q-1, j-1] \\ s^{i-1}[q-1, j-1] \& (s^{i-1}[q, j-1] | t[x[i], j]) \end{cases}$$

# Wu-Manber

The expression:

$$s^i[q, j] = \& \left\{ \begin{array}{l} s^{i-1}[q-1, j] \\ s^i[q-1, j-1] \\ s^{i-1}[q-1, j-1] \& (s^{i-1}[q, j-1] \mid t[x[i], j]) \end{array} \right.$$

can be computed as:

```
old = s
```

```
s[0] = (old[0] >> 1) | t[x[i]] // SHIFT-and-OR
```

```
for q=1..k:
```

```
  s1 = old[q-1] // s1[j] = si-1[q-1, j]
```

```
  s2 = s[q-1] >> 1 // s2[j] = si[q-1, j-1]
```

```
  s3 = s1 >> 1 // s3[j] = si-1[q-1, j-1]
```

```
  s4 = old[q] >> 1 // s4[j] = si-1[q, j-1]
```

```
  s[q] = s1 & s2 & s3 & (s4 | t[x[i]])
```

# Wu-Manber

Special case:

-Initial matrix:  $s[q] = 01^{|p|}$

Match when  $s[k, |p|] == 0$

# Example

$i=0$   
↓  
**x** = *bbacbbbababacabbba*  
**p** = *bbba*

	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>
<b>s</b> <sup>0</sup> [0]:	0	1	1	1	1
<b>s</b> <sup>0</sup> [1]:	0	1	1	1	1
<b>s</b> <sup>0</sup> [2]:	0	1	1	1	1

# Example

$i=1$   
↓  
 $x = b$ *bacbbbababacabbbba*  
 $p = b$ *bba*  
 $p = b$ *bbba*  
 $p = b$ *bbba*  
 $p = b$ *bbba*

```
old = s
s[0] = (old[0] >> 1) | t[x[i]]
for q=1..k:
  s1 = old[q-1]
  s2 = s[q-1] >> 1
  s3 = s1 >> 1
  s4 = old[q] >> 1
  s[q] = s1 & s2 & s3 & (s4 | t[x[i]])
```

	<b>01234</b>		<b>01234</b>
$s^0[0]:$	01111	$s^1[0]:$	00111 = 00111   00001
$s^0[1]:$	01111	$s^1[1]:$	
$s^0[2]:$	01111	$s^1[2]:$	

# Example

0 edit distance match

$i=1$

$x =$ **b***bacbbbababacabbbba*

$p =$ **b***bba*

$p =$ **b***b***b***a*

$p =$ **b***b***b***a*

$p =$ **b***b***b***a*

`old = s`

`s[0] = (old[0] >> 1) | t[x[i]]`

`for q=1..k:`

`s1 = old[q-1]`

`s2 = s[q-1] >> 1`

`s3 = s1 >> 1`

`s4 = old[q] >> 1`


`s[q] = s1 & s2 & s3 & (s4 | t[x[i]])`

	01234
$s^0[0]:$	01111
$s^0[1]:$	01111
$s^0[2]:$	01111

	01234
$s^1[0]:$	<u>0</u> 0111 = 00111   00001
$s^1[1]:$	
$s^1[2]:$	

# Example


Not 0 edit  
distance  
match



```
old = s
s[0] = (old[0] >> 1) | t[x[i]]
for q=1..k:
    s1 = old[q-1]
    s2 = s[q-1] >> 1
    s3 = s1 >> 1
    s4 = old[q] >> 1
    s[q] = s1 & s2 & s3 & (s4 | t[x[i]])
```

	<b>01234</b>		<b>01234</b>
$s^0[0]:$	01111	$s^1[0]:$	00 <u>111</u> = 00111   00001
$s^0[1]:$	01111	$s^1[1]:$	
$s^0[2]:$	01111	$s^1[2]:$	

# Example

$i=1$   
  
 $x = b$ *bacbbbababacabbbba*  
 $p = b$ *bba*  
 $p = b$ *bba*  
 $p = b$ *bba*  
 $p = b$ *bba*


```

old = s
s[0] = (old[0] >> 1) | t[x[i]]
for q=1..k:
  s1 = old[q-1]
  s2 = s[q-1] >> 1
  s3 = s1 >> 1
  s4 = old[q] >> 1
  s[q] = s1 & s2 & s3 & (s4 | t[x[i]])
  
```

	<b>01234</b>		<b>01234</b>	
$s^0[0]:$	01111	$s^1[0]:$	00111	
$s^0[1]:$	01111	$s^1[1]:$	00011	= 01111 & 00011
$s^0[2]:$	01111	$s^1[2]:$		& 00111 & (00111   00001)

# Example

1 edit distance  
match




```
old = s
s[0] = (old[0] >> 1) | t[x[i]]
for q=1..k:
    s1 = old[q-1]
    s2 = s[q-1] >> 1
    s3 = s1 >> 1
    s4 = old[q] >> 1
    s[q] = s1 & s2 & s3 & (s4 | t[x[i]])
```

	01234		01234
$s^0[0]:$	01111	$s^1[0]:$	00111
$s^0[1]:$	01111	$s^1[1]:$	00011 = 01111 & 00011
$s^0[2]:$	01111	$s^1[2]:$	& 00111 & (00111   00001)

# Example


Not 1 edit  
distance  
match



```
old = s
s[0] = (old[0] >> 1) | t[x[i]]
for q=1..k:
    s1 = old[q-1]
    s2 = s[q-1] >> 1
    s3 = s1 >> 1
    s4 = old[q] >> 1
    s[q] = s1 & s2 & s3 & (s4 | t[x[i]])
```

	<b>01234</b>		<b>01234</b>	
$s^0[0]:$	01111	$s^1[0]:$	00111	
$s^0[1]:$	01111	$s^1[1]:$	000 <u>11</u>	= 01111 & 00011
$s^0[2]:$	01111	$s^1[2]:$		& 00111 & (00111   00001)

# Example

$i=1$   
  
 $x = b b a c b b b a b a b a c a b b b b a$   
 $p = b b b a$   
 $p = b b b a$   
 $p = b b b a$   
 $p = b b b a$


```

old = s
s[0] = (old[0] >> 1) | t[x[i]]
for q=1..k:
  s1 = old[q-1]
  s2 = s[q-1] >> 1
  s3 = s1 >> 1
  s4 = old[q] >> 1
  s[q] = s1 & s2 & s3 & (s4 | t[x[i]])
  
```

	<b>01234</b>		<b>01234</b>	
$s^0[0]:$	01111	$s^1[0]:$	00111	
$s^0[1]:$	01111	$s^1[1]:$	00011	
$s^0[2]:$	01111	$s^1[2]:$	00001	$= 01111 \ \& \ 00001$
				$\& \ 00111 \ \& \ (00111 \   \ 00001)$

# Example

2 edit distance match




```
old = s
s[0] = (old[0] >> 1) | t[x[i]]
for q=1..k:
  s1 = old[q-1]
  s2 = s[q-1] >> 1
  s3 = s1 >> 1
  s4 = old[q] >> 1
  s[q] = s1 & s2 & s3 & (s4 | t[x[i]])
```

	<b>01234</b>		<b>01234</b>	
$s^0[0]:$	01111	$s^1[0]:$	00111	
$s^0[1]:$	01111	$s^1[1]:$	00011	
$s^0[2]:$	01111	$s^1[2]:$	<u>00001</u>	$= 01111 \ \& \ 00001$
				$\& \ 00111 \ \& \ (00111 \   \ 00001)$

# Example

Not 2 edit  
distance  
match



```
old = s
s[0] = (old[0] >> 1) | t[x[i]]
for q=1..k:
    s1 = old[q-1]
    s2 = s[q-1] >> 1
    s3 = s1 >> 1
    s4 = old[q] >> 1
    s[q] = s1 & s2 & s3 & (s4 | t[x[i]])
```

	<b>01234</b>		<b>01234</b>	
$s^0[0]:$	01111	$s^1[0]:$	00111	
$s^0[1]:$	01111	$s^1[1]:$	00011	
$s^0[2]:$	01111	$s^1[2]:$	0000 <u>1</u>	$= 01111 \ \& \ 00001$
				$\& \ 00111 \ \& \ (00111 \   \ 00001)$

# Example

i=2  
↓

**x** = *bb*acbbbababacabbba

**p** = *bb*ba

**p** = *bb*ba

**p** = *bb*ba

**p** = *bb*ba

```

old = s
s[0] = (old[0] >> 1) | t[x[i]]
for q=1..k:
  s1 = old[q-1]
  s2 = s[q-1] >> 1
  s3 = s1 >> 1
  s4 = old[q] >> 1
  s[q] = s1 & s2 & s3 & (s4 | t[x[i]])
  
```

	01234		01234
$s^1[0]:$	00111	$s^2[0]:$	00011 = 00011   00001
$s^1[1]:$	00011	$s^2[1]:$	
$s^1[2]:$	00001	$s^2[2]:$	

# Example

0 edit distance match

$i=2$

$x = bbacbbbababacabbba$

$p = bbba$

$p = bbba$

$p = bbba$

$p = bbba$

```
old = s
s[0] = (old[0] >> 1) | t[x[i]]
for q=1..k:
    s1 = old[q-1]
    s2 = s[q-1] >> 1
    s3 = s1 >> 1
    s4 = old[q] >> 1
    s[q] = s1 & s2 & s3 & (s4 | t[x[i]])
```

	01234		01234
$s^1[0]:$	00111	$s^2[0]:$	<u>000</u> 11 = 00011   00001
$s^1[1]:$	00011	$s^2[1]:$	
$s^1[2]:$	00001	$s^2[2]:$	

# Example

Not 0 edit  
distance  
match

$i=2$

$x = bbacbbbababacabbba$

$p = bbba$

$p = bbba$


$p = bba$

$p = bba$

```
old = s
s[0] = (old[0] >> 1) | t[x[i]]
for q=1..k:
  s1 = old[q-1]
  s2 = s[q-1] >> 1
  s3 = s1 >> 1
  s4 = old[q] >> 1
  s[q] = s1 & s2 & s3 & (s4 | t[x[i]])
```

	01234		01234
$s^1[0]:$	00111	$s^2[0]:$	000 <u>11</u> = 00011   00001
$s^1[1]:$	00011	$s^2[1]:$	
$s^1[2]:$	00001	$s^2[2]:$	

# Example

$i=2$   
  
 $x = bbacbbbababacabbba$   
 $p = bbba$   
 $p = bbba$   
 $p = bbba$   
 $p = bbba$


```

old = s
s[0] = (old[0] >> 1) | t[x[i]]
for q=1..k:
  s1 = old[q-1]
  s2 = s[q-1] >> 1
  s3 = s1 >> 1
  s4 = old[q] >> 1
  s[q] = s1 & s2 & s3 & (s4 | t[x[i]])
  
```

	<b>01234</b>		<b>01234</b>	
$s^1[0]:$	00111	$s^2[0]:$	00011	
$s^1[1]:$	00011	$s^2[1]:$	00001	= 00111 & 00001
$s^1[2]:$	00001	$s^2[2]:$		& 00011 & (00001   00001)

# Example

1 edit distance match



```
old = s
s[0] = (old[0] >> 1) | t[x[i]]
for q=1..k:
  s1 = old[q-1]
  s2 = s[q-1] >> 1
  s3 = s1 >> 1
  s4 = old[q] >> 1
  s[q] = s1 & s2 & s3 & (s4 | t[x[i]])
```

	<b>01234</b>		<b>01234</b>	
$s^1[0]:$	00111	$s^2[0]:$	00011	
$s^1[1]:$	00011	$s^2[1]:$	00001	= 00111 & 00001
$s^1[2]:$	00001	$s^2[2]:$		& 00011 & (00001   00001)

# Example

Not 1 edit  
distance  
match

$i=2$

$x = bbacbbbababacabbba$

$p = bbba$

$p = bbba$

$p = bbba$


$p = bbba$

```

old = s
s[0] = (old[0] >> 1) | t[x[i]]
for q=1..k:
  s1 = old[q-1]
  s2 = s[q-1] >> 1
  s3 = s1 >> 1
  s4 = old[q] >> 1
  s[q] = s1 & s2 & s3 & (s4 | t[x[i]])
  
```

	<b>01234</b>		<b>01234</b>	
$s^1[0]:$	00111	$s^2[0]:$	00011	
$s^1[1]:$	00011	$s^2[1]:$	0000 <u>1</u>	= 00111 & 00001
$s^1[2]:$	00001	$s^2[2]:$		& 00011 & (00001   00001)

# Example

$i=2$   
  
 $x = bbacbbbababacabbba$   
 $p = bbba$   
 $p = bbba$   
 $p = bbba$   
 $p = bbba$


```

old = s
s[0] = (old[0] >> 1) | t[x[i]]
for q=1..k:
  s1 = old[q-1]
  s2 = s[q-1] >> 1
  s3 = s1 >> 1
  s4 = old[q] >> 1
  s[q] = s1 & s2 & s3 & (s4 | t[x[i]])
  
```

	<b>01234</b>		<b>01234</b>	
$s^1[0]:$	00111	$s^2[0]:$	00011	
$s^1[1]:$	00011	$s^2[1]:$	00001	
$s^1[2]:$	00001	$s^2[2]:$	00000	= 00011 & 00000
				& 00001 & (00000   00001)

# Example

2 edit distance match




```

old = s
s[0] = (old[0] >> 1) | t[x[i]]
for q=1..k:
  s1 = old[q-1]
  s2 = s[q-1] >> 1
  s3 = s1 >> 1
  s4 = old[q] >> 1
  s[q] = s1 & s2 & s3 & (s4 | t[x[i]])
  
```

	01234		01234		
$s^1[0]:$	00111	$s^2[0]:$	00011		
$s^1[1]:$	00011	$s^2[1]:$	00001		
$s^1[2]:$	00001	$s^2[2]:$	<u>00000</u>	=	00011 & 00000
				&	00001 & (00000   00001)

# Example

2 edit distance match



```

old = s
s[0] = (old[0] >> 1) | t[x[i]]
for q=1..k:
  s1 = old[q-1]
  s2 = s[q-1] >> 1
  s3 = s1 >> 1
  s4 = old[q] >> 1
  s[q] = s1 & s2 & s3 & (s4 | t[x[i]])
  
```

01234  
 $s^1[0]:$  00111  
 $s^1[1]:$  00011  
 $s^1[2]:$  00001

01234  
 $s^2[0]:$  00011  
 $s^2[1]:$  00001  
 $s^2[2]:$  00000

2-distance match

$$= 00011 \ \& \ 00000$$

$$\& \ 00001 \ \& \ (00000 \ | \ 00001)$$

# Example

i=3



**x** = *bb***a***cbbbababacabbbba*

**p** = *b***b***bba*

**p** = *bb***b***bba*

**p** = *bbb***b***a*

**p** = *bbb***a**

old = s

s[0] = (old[0] >> 1) | t[x[i]]

for q=1..k:

s1 = old[q-1]

s2 = s[q-1] >> 1

s3 = s1 >> 1

s4 = old[q] >> 1

s[q] = s1 & s2 & s3 & (s4 | t[x[i]])

01234

**s**<sup>2</sup>[0]: 00011

**s**<sup>2</sup>[1]: 00001

**s**<sup>2</sup>[2]: 00000

01234

**s**<sup>3</sup>[0]: 0**1111** = 0000**1** | 0**1110**

**s**<sup>3</sup>[1]:

**s**<sup>3</sup>[2]:

# Example

Not 0 edit  
distance  
match

$i=3$



$x =$ **bb***acbbbababacabbba*

$p =$ **b***bbba*

$p =$ **bb***ba*

$p =$ **bbb***a*

$p =$ **bbba**

`old = s`

`s[0] = (old[0] >> 1) | t[x[i]]`

`for q=1..k:`

`s1 = old[q-1]`

`s2 = s[q-1] >> 1`

`s3 = s1 >> 1`

`s4 = old[q] >> 1`

`s[q] = s1 & s2 & s3 & (s4 | t[x[i]])`

**01234**

$s^2[0]:$  00011

$s^2[1]:$  00001

$s^2[2]:$  00000

**01234**

$s^3[0]:$  0**1111** = 00001 | 01110

$s^3[1]:$

$s^3[2]:$

# Example

i=3



**x** = *bb***a***cbbbababacabbbba*

**p** = *b***b***bba*

**p** = *bb***b***bba*

**p** = *bbb***b***a*

**p** = *bbb***a**

old = s

s[0] = (old[0] >> 1) | t[x[i]]

for q=1..k:

s1 = old[q-1]

s2 = s[q-1] >> 1

s3 = s1 >> 1

s4 = old[q] >> 1

s[q] = s1 & s2 & s3 & (s4 | t[x[i]])

01234

**s**<sup>2</sup>[0]: 00011

**s**<sup>2</sup>[1]: 00001

**s**<sup>2</sup>[2]: 00000

01234

**s**<sup>3</sup>[0]: 01111

**s**<sup>3</sup>[1]: 00000

**s**<sup>3</sup>[2]:

= 00001 & 00111

& 00000 & (00000 | 01110)

# Example

1 edit distance match

i=3



**x** = *bb***a***cbbbababacabbbba*

**p** = *b***b***bba*

**p** = *b***b***bba*

**p** = *b***b***bba*

**p** = *b***b***bba*

old = s

s[0] = (old[0] >> 1) | t[x[i]]

for q=1..k:

s1 = old[q-1]

s2 = s[q-1] >> 1

s3 = s1 >> 1

s4 = old[q] >> 1

s[q] = s1 & s2 & s3 & (s4 | t[x[i]])

01234  
 $s^2[0]:$  00011  
 $s^2[1]:$  00001  
 $s^2[2]:$  00000

01234  
 $s^3[0]:$  0**1111**  
 $s^3[1]:$  00000 = 00001 & 00111  
 $s^3[2]:$  & 00000 & (00000 | 01110)

# Example

i=3



**x** = *bb***a***cbbbababacabbbba*

**p** = *b***b***bba*

**p** = *bb***b***bba*

**p** = *bbb***b***a*

**p** = *bbb***a**

old = s

s[0] = (old[0] >> 1) | t[x[i]]

for q=1..k:

s1 = old[q-1]

s2 = s[q-1] >> 1

s3 = s1 >> 1

s4 = old[q] >> 1

s[q] = s1 & s2 & s3 & (s4 | t[x[i]])

**s**<sup>2</sup>[0]: 01234

00011

**s**<sup>2</sup>[1]: 00001

**s**<sup>2</sup>[2]: 00000

**s**<sup>3</sup>[0]: 01234

0**1111**

**s**<sup>3</sup>[1]: 00000

**s**<sup>3</sup>[2]: 00000

= 0000**1** & 00000  
& 00000 & (00000 | 0000**1**)

# Example

2 edit distance match

i=3




**x** = *bb***a***cbbbababacabbbba*

**p** = *b***b***b***a**

**p** = *b***b***b***a**

**p** = *b***b***b***a**

**p** = *b***b***b***a**



old = s

s[0] = (old[0] >> 1) | t[x[i]]

for q=1..k:

s1 = old[q-1]

s2 = s[q-1] >> 1

s3 = s1 >> 1

s4 = old[q] >> 1

s[q] = s1 & s2 & s3 & (s4 | t[x[i]])

01234

s<sup>2</sup>[0]: 00011

s<sup>2</sup>[1]: 00001

s<sup>2</sup>[2]: 00000

01234

s<sup>3</sup>[0]: 01111

s<sup>3</sup>[1]: 00000

s<sup>3</sup>[2]: 00000

= 00001 & 00000  
& 00000 & (00000 | 00001)

# Example

2 edit distance match

i=3

**x** = *bb***a***cbbbababacabbbba*

**p** = *b***b***ba*  
**p** = *bb***b***a*  
**p** = *bbb***a  
**p** = *bbba***

```
old = s
s[0] = (old[0] >> 1) | t[x[i]]
for q=1..k:
  s1 = old[q-1]
  s2 = s[q-1] >> 1
  s3 = s1 >> 1
  s4 = old[q] >> 1
  s[q] = s1 & s2 & s3 & (s4 | t[x[i]])
```

**s**<sup>2</sup>[0]: 00011  
**s**<sup>2</sup>[1]: 00001  
**s**<sup>2</sup>[2]: 00000

**s**<sup>3</sup>[0]: 01111  
**s**<sup>3</sup>[1]: 00000  
**s**<sup>3</sup>[2]: 00000

2-distance match

$$= 00001 \ \& \ 00000$$

$$\& \ 00000 \ \& \ (00000 \ | \ 00001)$$

# Exercise:

Complete the example...